

# Allied Recycling Ltd.

Manufacturers of :  
ALLOY & NON ALLOY STEEL BILLETS,  
WIRE ROD & ROUND  
CIN : U27100PB2003PLC026583



Date: 28.12.2020

To  
**The Joint Director,**  
Ministry of Environment, Forest & Climate Change,  
Regional Office (North),  
Government of India,  
Bay No. 24-25, Sector-31A,  
Chandigarh 160030.

**Subject: Submission of six monthly compliance report for period ending 30.09.2020 for the expansion of steel manufacturing unit namely "Allied Recycling Limited" located at Village Budhewal, Tehsil Kum Kalan, Ludhiana, Punjab.**

Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report, we are hereby submitting the six monthly compliance report for period ending 30.09.2020 for the above said project in soft copy in compact disk (CD) of the compliance report for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you.

Sincerely,  
For Allied Recycling Limited

(Authorized Signatory)

Name- Hitesh Abrol

Contact No.- 9814100519

Designation- Managing Director

E-mail- alliedrecyclinglimited@gmail.com

**CC: Member Secretary, SEIAA Punjab, Directorate of Environment and Climate Change, C/o Punjab State Council for Science & Technology, MGSIPA Complex, Sector 26- Chandigarh-160019.**

2020

**SIX MONTHLY COMPLIANCE  
REPORT  
(Period ending 30.09.2020)**


**For  
“Allied Recycling Limited”  
Village Budhewal, Tehsil Kum Kalan, Ludhiana,  
Punjab.**

**Project By:  
M/s Allied Recycling Limited**

**Prepared by:**



**Eco Laboratories and Consultants Private Limited**  
E-207, Industrial Area, Phase-VIIIB (Sector-74), SAS Nagar (Mohali) Punjab  
[ems@ecoparyavaran.org](mailto:ems@ecoparyavaran.org), [www.ecoparyavaran.org](http://www.ecoparyavaran.org)  
Phone: 0172-4616225, 8872043178





## CONTENT

<b>S. No.</b>	<b>DESCRIPTION</b>	<b>Page No.</b>
1.	Data Sheet	1-3
2.	Compliance of Environmental Clearance Conditions	4-10
<b>ANNEXURE</b>		
3.	<b>A-1:</b> Copy of Environment Clearance Letter	11-16
4.	<b>A-2:</b> Photographs of the project	17-18
5.	<b>A-3:</b> Authorization of hazardous waste	19-21
6.	<b>A-4:</b> Agreement with Madhav regarding APCD dust	22-29
7.	<b>A-5:</b> Test reports of Ambient Air, Noise, Soil & Water	30-34
8.	<b>A-6:</b> ESI Details	35-42
9.	<b>A-7:</b> CSR Details	43
10.	<b>A-8:</b> Medical records of labor	44-90
11.	<b>A-9:</b> Screenshot of previously submitted compliance reports on website	91
12.	<b>A-10:</b> Acknowledgement of previously submitted compliance report	92

**Ministry of Environment, Forest and Climate Change,  
Northern Regional Office,  
Chandigarh-160030**

**DATA SHEET**

1.	<b>Project Type</b>	Expansion of steel manufacturing unit
2.	<b>Name of the Project</b>	M/s Allied Recycling Limited
3.	<b>Clearance letter (s)/O.M No. &amp; dates</b>	Environment Clearance has been granted by MoEF&CC vide Letter No. J-11011/40/2013-IA-II(I) dated 22.06.2015. Copy of the same is attached along as <b>Annexure 1</b> .
4.	<b>Location</b>	Chandigarh Road, Village Budhewal, Tehsil Kum Kalan
	<b>a) District (s)</b>	Ludhiana
	<b>b) State (s)</b>	Punjab
	<b>c) Latitudes/ Longitudes</b>	30°53'18.24"N & 76°59'33.72"E
5.	<b>Address for correspondence</b>	<b>M/s Allied Recycling Limited</b> Chandigarh Road, Village Budhewal, Tehsil Kum Kalan, Ludhiana, Punjab
6.	<b>Salient features</b>	
	<b>a) of the project</b>	As per Environment Clearance letter, after expansion the production capacity of the industrial unit becomes 1,50,000 MTA of Steel Ingots/ Billets & 1,40,000 MTA of steel wire rods by 2 Induction furnaces of capacity 6 TPH each. The total area of the plot is 20,866 sq.m. Total cost of the project is 31.5 crores.
	<b>b) of the environmental management plans</b>	As per Environment Clearance letter, after expansion the total water requirement of the project is estimated to be 27 KLD; out of which 9.6 KLD will be domestic water demand and 15 KLD is the makeup water cooling demand. Total power requirement for the project is estimated to be 11.4 MW which will be supplied by PSPCL.
7.	<b>Break-up of the project area</b>	
	<b>a) Submergence area: Forest and Non-forest</b>	Not applicable
	<b>b) Others</b>	Not applicable

8.	<b>Break-up of project affected population with enumeration of those losing houses/ dwelling units only, agricultural land only both dwelling units and agricultural land and landless labourers/artisans.</b>	Not applicable
	<b>a) SC/ST/Adivasis</b>	Not applicable
	<b>b) Others</b> ( <i>Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures. If a survey has been carried out give details and year of survey</i> )	Not applicable
9.	<b>Financial details:</b>	
	<b>a) Project cost as originally planned and subsequent revised estimates and the year of price reference.</b>	As per EC letter, total cost of the project is Rs. 31.5Crores.
	<b>b) Allocations made for environmental management plans with item wise and year wise break up.</b>	As per EC letter, Rs. 48 lakhs for pollution control measures and Rs. 9.5 lakhs will be annual maintenance of pollution control measures.
	<b>c) Benefit cost ratio/internal rate of return and the year of assessment</b>	Will be calculated and submitted.
	<b>d) Whether (c) includes the cost of environmental management as shown in b) above.</b>	Yes
	<b>e) Actual expenditure incurred on the project so far.</b>	All the expenditure has been done on the project.
	<b>f) Actual expenditure incurred on the environmental management plans so far.</b>	All the expenditure on the environment management plan has been done as per the EC letter.
10.	<b>Forest land requirement:</b>	
	<b>a) the status of approval for diversion of forest land for non-forestry use</b>	Not Applicable.
	<b>b) the status of clear felling, if any</b>	Not Applicable.
	<b>c) the status of compensatory afforestation, if any.</b>	Not Applicable.
	<b>d) Comments on the viability &amp; sustainability of compensatory Afforestation programme in the light of actual field experience so far.</b>	Not Applicable.

11.	<b>The status of clear felling in non-forest areas</b> ( <i>such as submergence area of reservoir, approach road</i> ) <b>if any, with quantitative information</b>	Not applicable
12.	<b>Status of construction:</b>	
	<b>a) Date of commencement</b> (actual and/or planned)	August, 2015
	<b>b) Date of completion</b> (actual and/or planned)	January, 2016 Expansion has been done and industry is operational Photographs of the project are attached along as <b>Annexure 2.</b>
13.	<b>Reasons for the delay, if the project is yet to start</b>	Not applicable

**Compliance report on conditions imposed in Environmental Clearance for period ending 30.09.2020**

**Part A - Specific conditions**

<b>S.No.</b>	<b>EC Conditions</b>	<b>Reply</b>
i)	The project proponent should install 24 x 7 air monitoring devices to monitor air emission as provided by CPCB and submit report to Ministry and its Regional Office.	Agreed, the same is being complied.
ii)	Measures shall be taken to reduce PM levels in the ambient air. Stack of adequate height & diameter with continuous stack monitoring facilities for all the stacks, shall be provided and sufficient air pollution control devices viz. Electrostatic precipitator (ESP), bag house, bag filters etc. shall be provided to keep the emission levels within prescribed standards and installing energy efficient technologies.	Agreed. Adequate air pollution control measures have been adopted within the industrial unit such as High efficiency Bag Filter have been installed to control the PM level.
iii)	Efforts shall further be made to use rainwater from the rainwater harvesting sources. Capacity of the reservoir shall be enhanced, if required, to meet the maximum water requirement. The Plant shall operate on a zero discharge concept.	Agreed. Proper rain water recharging plan has been implemented within the industrial premises. 3 rain water recharging pits have been provided within the project premises to collect the runoff generated from roof top area of the project and recharging the ground water. Further, no industrial effluent has been generated from the industrial unit.
iv)	Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.	All the necessary facilities were provided to the labours at the time of construction activity was going. However, now presently the industrial unit is fully operational.



v)	Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 1999 and subsequent amendment in 2003 and 2010. All the fly ash shall be provided to cement and brick manufacturers for further utilization. Bottom ash shall be fully utilized for road construction. Details of Memorandum of Understanding entered shall be submitted to the Ministry's Regional Office at Bhubaneswar.	Not applicable, as the industrial unit is operational.
vi)	Hazardous materials such as lubricating oil, compressed gases, paints and varnishes required during construction phase shall be stored properly as per the regulations at isolated places and used/ recycled as per the E (P) A Rules, 1986.	Agreed. The same was compiled at the time of construction phase. However, presently industrial unit is operational. Authorization of hazardous waste has been obtained from PPCB; copy is enclosed as <b>Annexure 3</b> . Further, Agreement for disposal of APCD dust has been done with M/s Madhav Alloys Pvt. Ltd.; copy of the same is enclosed as <b>Annexure 4</b> .
vii)	All vehicles and construction machinery are properly maintained to minimize the exhaust emission as well as noise generation to meet prescribed standards.	Agreed. The same was complied.
viii)	Green belt consisting of a 3-tier plantation of trees with thick canopy, shall be developed all along the periphery of the plant, vacant areas, transfer points etc. as part of 33% of total plant area.	Agreed. Adequate green area has been provided within the project premises. Various plants of local species have been planted along the periphery of the industrial unit. Photographs showing the green area are enclosed as <b>Annexure 2</b> .
ix)	Noise level shall be reduced by stopping leakages from various steam lines, compressed air lines and other high pressure equipment; and provide noise proof cabins to operators where remote control for operating noise generating equipment is feasible.	Agreed. Ambient noise levels are within the permissible limits. Test report for ambient noise is enclosed as <b>Annexure 5</b> .
x)	Disaster management plan shall be prepared and implemented. Regular drills thereof shall be conducted.	Disaster management plan have been prepared & implemented properly. Mock drills have been conducted on regular basis.
xi)	All the commitments made to the public during public hearing/ public consultation shall be satisfactorily implemented and	All of the commitments made during public hearing such as road repairing and employment have been fulfill.

	adequate budget provision shall be made accordingly.	
xii)	Company shall develop an HSE Policy. All the permanent workers shall be covered under ESI Scheme. The Company shall have the provision for treatment of its workers at the local Nursing Homes & Hospitals in case of emergency. Annual Medical Check-up on some medical parameters like Blood Test, Chest X-Ray, Eye Test, Audiometry, Spirometry etc. shall be conducted amongst the employees of the Company and records maintained thereof.	Agreed. All the workers have been covered under ESI Scheme. ESI details are enclosed as <b>Annexure 6.</b>
xiii)	At least 2.5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on local needs. The proponent shall prepare a detailed CSR Plan for every next 5 years for the existing-cum-expansion project, which includes village-wise, sector-wise (Health, Education, Sanitation, Health, Skill Development and infrastructure requirements such as strengthening of village roads, avenue plantation etc.) activities in consultation with the local communities and administration. The CSR Plan will include the amount of 2% retain annual profits as provided for in Clause-135 of the Companies Act, 2013 which provides for 2% of the average net profits of previous 3 years towards CSR activities for life of the project. A separate budget head shall be created and the annual capital and revenue expenditure on various activities of the Plan shall be submitted as part of the Compliance Report to R.O., Bangalore. The details of the CSR Plan shall also be uploaded on the Company website and shall	Agreed. The CSR activities has been done as per the commitment. Detailed expenditure on CSR activities is enclosed as <b>Annexure 7.</b>

## Part B - General conditions

S.No.	Compliance conditions	Compliance Reply
i)	The project authorities must strictly adhere to the stipulations made by the Punjab Pollution Control Board and the State Government.	Agreed. The same is being complied.
ii)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Agreed. Fresh application will be submitted to SEIAA, Punjab in case expansion or modification will be done.
iii)	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM10, PM25, SO2 and NOx are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Chandigarh and the SPCB/ CPCB once in six months.	All necessary measures have been taken to control air pollution. Ambient air quality is monitored regularly. Test reports of the same are attached at <b>Annexure 5</b> .
iv)	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31 <sup>st</sup> December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.	There is no effluent generation of from the process. However, domestic effluent is being used for horticulture purpose within the project premises after proper treatment in the septic tank.
v)	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA.	Noise quality has been confirmed to the prescribed standards. Test report showing the results of ambient noise is enclosed along as <b>Annexure 5</b> .
vi)	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Occupational health surveillance program has been carried out on regular basis and proper records have been maintained. Medical records of the workers are enclosed as <b>Annexure 8</b> .
vii)	The Company shall develop rain water harvesting structures to harvest the rain water	Proper rain water recharging plan has been implemented within the industrial

	for utilization in the lean season besides recharging the ground water table.	premises. 3 rain water recharging pits have been provided within the project premises to collect the runoff generated from roof top area of the project and recharging the ground water.
viii)	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/ EMP Report. Further, the Company must undertake socioeconomic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	The company has been undertaken various socio-economic development activities in the surrounding villages.
ix)	Requisite funds shall be earmarked towards capital cost and recurring cost/ annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment, Forests and Climate Change (MOEFCC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein, shall be submitted to the Regional Office of the Ministry at Chandigarh. The funds so provided shall not be diverted for any other purpose.	Agreed. Funds earmarked for environmental protection measures as per the EC letter and not be diverted for other purposes.
x)	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, ZilaParishad/ Municipal Corporation, Urban Local Body and the local NGO, if any from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the Company by the proponent.	Agreed. Copy of environment clearance letter has been sent to all the concerned Government authorities.
xi)	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEF&CC at Chandigarh. The respective Zonal Office of CPCB and the	Agreed. Status of compliance of stipulated EC conditions including results of monitored data has been uploaded on the website. Screenshot showing the same is enclosed as <b>Annexure 9</b> .

	SPCB. The criteria pollutant levels namely; PM10,SO2 and NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the Company in the public domain.	
xii)	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MOEFCC, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Chandigarh/ CPCB/ SPCB shall monitor the stipulated conditions.	Half yearly compliance report have been submitted on the regular basis to Regional Office of MoEF&CC, the regional office of PPCB. Acknowledgement of the last submitted six monthly compliance report for period ending 31.03.2020 is enclosed as <b>Annexure 10</b> .
xiii)	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the Company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MoEF&CC at Chandigarh by e-mail.	Agreed. Form-V has been submitted for the financial year 2019-20 to PPCB.
xiv)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment, Forests and Climate Change MoEF&CC) at <a href="http://envfor.nic.in">http:// envfor.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy	Agreed. The advertisement has already been published in the newspaper and the same has already been submitted with the previous six monthly compliance reports.

	of the same should be forwarded to the Regional Office at Chandigarh.	
xv)	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	Agreed.

**F. No. J-11011/40/2013-IA II (I)**  
Government of India  
Ministry of Environment, Forest and Climate Change  
(I.A. Division)

Indira Paryavaran Bhawan  
Jor Bagh Road, Ali Ganj,  
New Delhi - 110003

**E-mail: satish.garkoti@nic.in**  
**Tele ph.: 011: 24695316**

Dated: 22<sup>nd</sup> June, 2015

To

✓ **M/s Allied Recycling Ltd.**  
Chandigarh Road, V.P.O Budhewal  
Tehsil-Kum-Kalan, Dist-Ludhiana  
Punjab-141112

**Email: sital\_cptmohali@yahoo.co.in, alliedsteels@sifv.com;**

**Fax No.- 0161-3230519**

**Subject: Expansion of Steel Manufacturing Unit from 1,53,000 TPA (80,000 TPA Steel ingot/billets and 73,000 TPA steel wire rods) to 2,90,000 TPA (1,50,000 TPA steel ingots/billets and 1,40,000 steel rods) of M/s Allied Recycling Ltd at village Budhewal, Tehsil Kum Kalan, Dist. Ludhiana, Punjab. Environmental Clearance regarding -**

Sir,

This has reference to your letter No. dated 25.12.2013 along with copies of EIA/EMP report seeking environment clearance under the provisions of the EIA Notification, 2006. The ToRs for the project were awarded by the Ministry vide letter of even No. dated 29<sup>th</sup> May, 2013 for preparation of EIA/EMP report.

2.0 M/s Allied Recycling Ltd. is a Steel manufacturing Unit, which has been manufacturing 80, 000 MTA Steel Ingot/ billets and 73, 000 MTA Steel Wire Rods. The Industry has now proposed to enhance the capacity of the unit by addition of Two no's of Induction furnaces of capacities 6 TPH each. The capacity of the unit after expansion will be 1,50,000 MTA Steel Ingots/ billets & 1, 40, 000 MTA Steel Wire Rods. The total area of the plot is about 20, 866 m<sup>2</sup>. There are no wild life sanctuaries, reserved /protected forests or defence installations, rivers and hill ranges within 10 km of the project. It is about 18 kms from Ludhiana and about 75 kms from Chandigarh. Total cost of the Project is 31.5 crores and 48 lakhs have been provided for pollution control Measures. About 9.5 lakhs will be spent on annual maintenance of such measures.

3.0 The raw materials used are MS/CI Scrap, Sponge/Pig Iron, Ferro alloys Manganese, Ferro Silicon, Aluminium. These will be sourced from Domestic as well as

International Markets. The raw materials used in the manufacturing of structural sections is Steel Ingots and Billets will be sourced from own unit.

4.0 The water requirement for domestic purpose will be 9.6 KLD and evaporation loss will be 15 KLD. There is no use of water in the process. So the total water requirement will be 27 KLD. The total power demand for the unit is about 11.4 MW. This demand will be met by sourcing power from Punjab State Power Corporation Limited from the nearby Sub-station. There will be about 300 persons working in the unit. For Air Pollution Control, Cyclones & Bag filters have been provided on Induction furnace and Scrubber on rolling mills. There will be generation of emission containing SPM. All the processes are closed circuit; as such emission to the atmosphere will be minimal. However, APCD, cyclone, bag filters will be provided at the exit point to arrest particulate matters.

5.0 Public Hearing of the project was conducted by PPCB at site on 27.10.2014 under the Chairmanship of Smt. Amrit Kaur Gill, PCS, Additional Deputy Commissioner (G), Ludhiana. Major issues raised during the public hearing inter alia include repair of roads, employment etc.

6.0 The proposal was considered during the 33<sup>rd</sup> meeting of the Expert Appraisal Committee (Industry) held on 10<sup>th</sup> – 11<sup>th</sup> February, 2015. After detailed deliberations, the EAC (I) recommended the project for Environmental Clearance and stipulated Specific Conditions along with other environmental conditions while considering for accord of Environmental Clearance.

7.0 The Ministry of Environment, Forest and Climate Change (MoEFCC) on the basis of the aforesaid recommendations of the EAC (I), hereby grants Environmental Clearance to the aforesaid project vide provisions of EIA Notification dated 14<sup>th</sup> September 2006, subject to strict compliance of the following Specific and General conditions:

**A. SPECIFIC CONDITION:**

- i. The project proponent should install 24x7 air monitoring devices to monitor air emission as provided by CPCB and submit report to Ministry and its Regional Office.
- ii. Measures shall be taken to reduce PM levels in the ambient air. Stack of adequate height & diameter with continuous stack monitoring facilities for all the stacks shall be provided and sufficient air pollution control devices viz. Electrostatic precipitator (ESP), bag house, bag filters etc. shall be provided to keep the emission levels within prescribed standards and installing energy efficient technologies.





- iii. Efforts shall further be made to use rainwater from the rain water harvesting sources. Capacity of the reservoir shall be enhanced, if required, to meet the maximum water requirement. The Plant shall operate on a zero discharge concept.
- iv. Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.
- v. Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 1999 and subsequent amendment in 2003 and 2010. All the fly ash shall be provided to cement and brick manufacturers for further utilization Bottom ash shall be fully utilized for road construction. Details of Memorandum of Understanding entered shall be submitted to the Ministry's Regional Office at Bhubaneswar.
- vi. Hazardous materials such as lubricating oil, compressed gases, paints and varnishes required during construction phase shall be stored properly as per the regulations at isolated places and used/recycled as per the E(P)A Rules, 1986.
- vii. All vehicles and construction machinery are properly maintained to minimize the exhaust emission as well as noise generation to meet prescribed standards.
- viii. Green belt consisting of a 3-tier plantation of trees with thick canopy shall be developed all along the periphery of the plant, vacant areas, transfer points, etc , as part of 33% of total plant area.
- ix. Noise level shall be reduced by stopping leakages from various steam lines, compressed air lines and other high pressure equipment; and provide noise proof cabins to operators where remote control for operating noise generating equipment is feasible.
- x. Disaster management plan shall be prepared and implemented. Regular drills thereof shall be conducted.
- xi. All the commitments made to the public during public hearing/public consultation shall be satisfactorily implemented and adequate budget provision shall be made accordingly.
- xii. Company shall develop an HSE Policy. All the permanent workers shall be covered under ESI Scheme. The company shall have the provision for treatment of its workers at the local Nursing Homes & Hospitals in case of emergency. Annual Medical Check-up on some medical parameters like Blood test, Chest X-Ray, Eye test, Audiometry, Spirometry etc. shall be conducted amongst the employees of the Company and records maintained thereof.

- xiii. At least 2.5 % of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on local needs. The proponent shall prepare a detailed CSR Plan for every next 5 years for the existing-cum-expansion project, which includes village-wise, sector-wise (Health, Education, Sanitation, Health, Skill Development and infrastructure requirements such as strengthening of village roads, avenue plantation, etc) activities in consultation with the local communities and administration. The CSR Plan will include the amount of 2% retain annual profits as provided for in Clause 135 of the Companies Act, 2013 which provides for 2% of the average net profits of previous 3 years towards CSR activities for life of the project. A separate budget head shall be created and the annual capital and revenue expenditure on various activities of the Plan shall be submitted as part of the Compliance Report to RO, Bangalore. The details of the CSR Plan shall also be uploaded on the company website and shall also be provided in the Annual Report of the company.

**B. GENERAL CONDITIONS:**

- i. The project authorities must strictly adhere to the stipulations made by the Punjab Pollution Control Board and the State Government.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEFCC).
- iii. At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub> and NO<sub>x</sub> are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Chandigarh and the SPCB/CPCB once in six months.
- iv. Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19<sup>th</sup> May, 1993 and 31<sup>st</sup> December, 1993 or as amended form time to time. The treated wastewater shall be utilized for plantation purpose.
- v. The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).
- vi. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.


- vii. The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.
- viii. The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.
- ix. Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change (MoEFCC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Chandigarh. The funds so provided shall not be diverted for any other purpose.
- x. A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.
- xi. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEFCC at Chandigarh. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- xii. The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MOEFCC, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Chandigarh / CPCB / SPCB shall monitor the stipulated conditions.
- xiii. The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MOEFCC at Chandigarh by e-mail.

- xiv. The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment, Forests and Climate Change (MoEFCC) at <http://envfor.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Chandigarh.
- xv. Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.

8.0 The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.


9.0 The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.

10.0 The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public (Insurance) Liability Act, 1991 along with their amendments and rules.

  
(Dr. Satish C. Garkoti)  
Director

**Copy to:-**

1. The Secretary, Department of Environment, Govt. of Punjab.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi, 110 032.
3. The Chairman, Punjab State Pollution Control Board, Vatavaran Bhavan, Nabha Road, Patiala-147001.
4. The Additional Principal Chief Conservator of Forests (C) Ministry of Environment, Forest & Climate Change, Regional Office (NZ) Bays No. 24-25, Sector-31 A, Dakshin Marg, Chandigarh-160030.
5. Guard File / Record File/Monitoring file.

  
(Dr. Satish C. Garkoti)  
Director

**PHOTOGRAPHS OF THE PROJECT**





# Annexure 3



## PUNJAB POLLUTION CONTROL BOARD

Zonal Office-I, E-648-B, Focal Point, Phase-5, Ludhiana

Website:- www.ppcb.gov.in

Office Dispatch No :	Registered/Speed Post	Date:
Industry Registration ID : R12LDH123012		Application No : 13250786

To,  
**Vijay Abrol**  
**H.NO.773-B, AGGAR NAGAR, LUDHIANA, 141002, Punjab, INDIA**  
**Ludhiana,Ludhiana-141012**

Subject: **Renewal of Authorization for operating a facility for 'Collection, Generation, Storage, ' of Hazardous Wastes as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 .**

Vijay Abrol of Allied recycling limited is hereby granted an authorisation based on the enclosed signed inspection report for Collection, Generation, Storage, on the premises situated at Vpo: budhewal, chandigarh road, Ludhiana east, Ludhiana i-141112

### 1. Particulars of Authorization granted to the Industry

Authorization No	HWM/renew/LDH1/2020/13250786
Previous Authorization No	HWM/renew/LDH1/2019/9849885
Date of issue :	15/10/2020
Date of expiry :	14/10/2025
Previous Authorization Date of Issue :	14/10/2019
Previous Authorization Date of Expiry :	13/10/2024
Authorization Type :	renew

### 2. Particulars of the Industry

Name & Designation of the Applicant	VIJAY ABROL, (DIRECTOR)
Address of Industrial premises	Allied recycling limited, Vpo: budhewal, chandigarh road, Ludhiana east,Ludhiana i-141112
Capital Investment of the Industry	5432.92 lakhs
Category of Industry	Red
Type of Industry	Integrated Iron and Steel
Scale of the Industry	Large
Office District	Ludhiana i

"This is computer generated document from OCMMS by PPCB"

Allied recycling limited,Vpo: budhewal, chandigarh road,Ludhiana east,Ludhiana i,141112

Page1

### 3. Particulars of Wastes

Category of Hazardous Waste as per the Schedules I,II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc	Quantity (ton/annum)
Schedule I 35.1-Exhaust Air or Gas cleaning residue	Collection , Storage	10.50 T/Annum
Schedule I 5.1-Used or spent oil	Generation , Collection , Storage	3.6 KL/Annum
Schedule I 35.1-Exhaust Air or Gas cleaning residue	Generation , Collection , Storage	10.50 T/Annum

4. The authorisation is subject to the general and specific conditions as appended with the Authorization.



15/10/2020

**(Ravinder Bhatti)**  
**Environmental Engineer**

*For & on behalf  
of*

**(Punjab Pollution Control Board)**

**Endst. No.:**

**Dated:**

A copy of the above is forwarded to the following for information and necessary action please:

Environmental Engineer, Punjab Pollution Control Board, Regional Office-1, Ludhiana for information and necessary action.

15/10/2020

**(Ravinder Bhatti)**  
**Environmental Engineer**

*For & on behalf  
of*

**(Punjab Pollution Control Board)**

*"This is computer generated document from OCMMS by PPCB"*

*Allied recycling limited, Vpo: budhewal, chandigarh road, Ludhiana east, Ludhiana i,141112*

*Page2*




## TERMS AND CONDITIONS

### A. GENERAL CONDITIONS

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on *½*Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty $\frac{1}{2}$ .
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.

### B. SPECIFIC CONDITIONS



15/10/2020

**(Ravinder Bhatti)**  
**Environmental Engineer**

*For & on behalf*

*of*

**(Punjab Pollution Control Board)**



ਬੰਨਾਬ ਪੰਜਾਬ PUNJAB

AA 732171

MEMBERSHIP AND WASTE OFFTAKE AGREEMENT

This **MEMBERSHIP AND WASTE LIFTING AGREEMENT** (hereinafter referred to as "the agreement") made on this.....20 MARCH.....of the year 2018..... by the amongst:-

**M/S MADHAV ALLOYS PVT. LTD.** having its Registered office at Talwara road, Mandi Gobindgarh and site at village Akalgarh, Amloh Bhadson road, near toll plaza, District Patiala (herein after called the "**Operator**" which expression shall unless repugnant to the context or meaning thereof, mean and include its successors and permitted assigns) represented by **Sh. Rajesh Kumar Khanna s/o Sh. Seelarsi Lal.**, **AGM – Purchase**, duly authorized by the board of Directors Resolution dated **25.10.2017**.

AND

ALLIED RECYCLING LIMITED  
V.& P.O. Budhewal, Chandigarh Road,  
LUDHIANA (PUNJAB)

M/S.....

.....(herein after referred to as the "**Generator**", which expression shall unless repugnant to context or meaning thereof, mean and include its successors and permitted assigns) represented by **Sh. Gurnam Kothak s/o Sh. Jarnal Kothak**, duly authorized by Board of Directors.

For Madhav Alloys (P) Ltd.

Auth. Sign

For Allied Recycling Limited

Authorised Signatory

Signature On Behalf of Operator

Signature On Behalf of Generator

**WHEREAS**

1. The Operator is recycler of Hazardous waste category 35.1 i.e. APCD Dust duly authorized by Punjab Pollution Control Board having authorization of Collection, Storage, Transportation, Reception, Recycling, Treatment and Disposal of the Hazardous waste through its authorization No. HWM/Fresh/PTA/2017/6337621, issued on dated 09/10/2017 valid till 30.06.2022.
2. The Generator desires to get its Hazardous Waste i.e. APCD Dust, being generated at their production unit (s) mentioned above as per there valid authorization (Authorization No. HWM/LDH1/2015/2904931 Dated. 18/11/15 Valid till date. 17/11/20) from Punjab Pollution Control Board to be collected, Transported, Treated, Stored, and Disposed of by utilizing the services of Operator has agreed, on the terms and conditions contained in this Agreement.

**NOW THEREFORE**, in consideration of the premises and of mutual covenant and obligations hereinafter set forth, the parties hereto agree as follows:

**1. DEFINITIOANS:**

In this agreement including the recitals hereof, unless the context otherwise requires, the following words and abbreviations shall have the meaning as under:

**"Agreement"** means this Membership and Waste Lifting Agreement, including the schedules hereto, as of the date hereof as may be amended or supplemented in accordance with the provisions hereof.

**"HWMF" or "Facility"** means Hazardous Waste Management Facility installed by the Operator at village Bhagwanpura, Tehsil Amloh, District Fatehgarh Sahib (Punjab)

**"Rules"** means the Hazardous Waste and other Waste (Management and Transboundary Movement) Rules, 2016.

**"Manifest"** means the manifest prepared in form 10 to the Rules pursuant to the provisions of Rule 7 of the Rules.

**"PPCB"** means Punjab Pollution Control Board.

**"Production Unit"** means the unit of the generator, where the Hazardous Waste is being generated.

**"Party"** means either of the parties of this agreement.

**"CPCB"** means Central Pollution Control Board

**"MOEF"** means Ministry of Environment and Forest

**"APCD"** means Air Pollution Control Device

For Madhav Alloys (P) Ltd.



Signature On Behalf of Operator

For Allied Recycling Limited



Authorized Signatory

Signature On Behalf of Generator

## 2. SCOPE OF SERVICES:

- I. The Operator having authorization and facility, for Collection, Storage, Transportation, Reception, Recycling, Treatment and Disposal of the Hazardous waste.
- II. The main mode of disposal shall be recycling / reprocessing the Hazardous Waste and extracting zinc from it i.e. APCD Dust.

## 3. QUALITY PARAMETERS OF APCD DUST

- I. Zn more than 10% (for details, please refer of Clause 6 of the agreement)
- II. Moisture less than 1 %
- III. Dust not older than 15 days
- IV. Dust should be filled directly into the HDPE bags.
- V. Bags should be properly sealed.
- VI. Dust should be stored in a cool, dry and covered room.
- VII. At the time of loading, the dust should not catch moisture

## 4. OBLIGATIONS OF THE GENERATOR:

### I. Process Detail:

The generator, in accordance with the rules, shall provide the entire process details, which lead to generation of Hazardous Waste i.e. APCD Dust, to the operator for the purpose of determining the waste characteristics and to decide parameters for Comprehensive Analysis, as well as its final path way of treatment, storage and disposal before signing the Agreement. In case of any change in process, the generator shall intimate the Operator before sending the Hazardous Waste i.e. APCD Dust from the changed process to the facility.

### II. Waste Quantities:

The Generator shall declare the Hazardous Waste quantities at the time of signing the agreement, in the Format as **Annexure-I** to this agreement and thereafter on annual basis, at least 15 days before the start of the next year. In case of any change in the waste quantities, the generator shall give the revised details in the aforesaid format, within 7 days of such change

of Madhav Alloys (P) Ltd.

Auth Sign

Signature On Behalf of Operator

For Allied Recycling Limited

Authorized Signatory

Signature On Behalf of Generator

**III. Categorization of waste:**

The responsibility for categorization of hazardous waste i.e. APCD Dust shall be with the Generator, however the Operator shall extend all the possible help and guidance to the Generator for categorization of wastes its detailed characterization.

In event of any dispute between the Operator and Generator on characterization of waste, process of generation, Stabilization etc. Mutually an independent expert will be appoint who shall carry out the necessary tests and provide the necessary clarifications. The fees and the cost of the Independent Expert shall be borne by the Generator. The result of such tests and clarifications by the independent Expert shall be final and binding on the Operator and Generators.

**IV. Safety Information:**

The safety of the community (human, flora and fauna) during transportation is of prime importance and thus, safety information will be provided by the Generator in **form-8** as amended from time to time, as attached to the Rules.

Further, the Generator shall give to the Operator such information as may be specified by PPCB or as may be required by any statutory body.


**V. Packaging and Labeling:**

The Generator shall ensure that the Hazardous waste is packaged in a manner suitable for storage and transport and the labeling and packaging shall be easily visible and be able to withstand physical conditions and climate factors. Such packaging and labeling should be in full compliance of the Rules.

**VI. Manifest:**


The Generator shall provide the Manifest to the Transporter as per the Rules. Upon receipt of a manifested waste, the Operator shall determine if the manifest accurately described the waste it accompanies. Any discrepancy in weight (for shipment over 3%), piece count (for batch or containerized waste shipments, one container per truck load), or waste type are considered significant and should be noted on all copies of the Manifest at the time of signatures. The operator shall try to reconcile the discrepancy with the transporter and Operators promptly. Any discrepancy not resolved within 15 days of waste receipts shall be reported by Operator to PPCB with an explanatory letter and a copy of manifest.

For Madriav Alloys (P) Ltd.

Auth. Sign  


**Signature On Behalf of Operator**

For Allied Recycling Limited

Auth. Sign  
  
Authorised Signatory

**Signature On Behalf of Generator**

**VII. Transport Emergency (TREM) Card:**

The generator shall provide the TREM Card, separately for the waste type, to Operator/Transporter of the waste in **Form -9**, as amended from time to time, attached to the rules.

**VIII. Comprehensive Waste Analysis:**

The Generator shall provide Comprehensive Waste Analysis before signing of the agreement on parameters identified as could be applicable based on the material characteristics / process. The generators shall, if so requested by the Operator, provide a representative sample of the waste for the purpose of its detailed chemical and physical analysis.

The comprehensive based analysis report shall be used to determine the disposal pathway based on the waste characteristics and as per the Rules and guidelines issued by the Ministry of the Environment and forest, Central Pollution Control Board, Punjab Pollution Control Board and other statutory regulation in respect thereto. Disposal pathway shall be mutually agree with Generator and Operator and shall form the basis for tariff.


The Generator shall provide fresh comprehensive waste analysis reports in One or more of the followings occasion:

- a) There is a change in waste characteristics;
- b) There is a change in manufacturing process;
- c) There is change in product mix/raw material mix;
- d) An otherwise known reason for change in waste quantities and characteristics;
- e) A period of two years has lapsed since the submission of the previous comprehensive waste analysis.

**IX. Declaration:**

The Generator shall give a specific declaration whether or not the Hazardous Waste contains Explosive/Ignitable/Corrosive/Toxic/Odor and other such compounds, which could be detrimental to the environment safety of the facility and to the persons handling it in any manner. The Generator shall be totally responsible for any consequences of non-declaration and the Operator deserves all rights to take any suitable action under the law which shall be binding on the Generator.

For Madhav Alloys (P) Ltd.

Auth. Sign. 

**Signature On Behalf of Operator**

For Allied Recycling Limited

Authorized Signatory 

**Signature On Behalf of Generator**

Provided that the Operator reserves the right not accept such waste which contains Explosive/Ignitable/Corrosive/Toxic/Odor and other such compounds, at its discretion and also without completion of the total formalities of understanding the waste and its safe handling transport and disposal mechanisms.


The Generator is responsible to segregate/Store/accumulate/Fill/Load the Hazardous Waste in the container provided by the Operator in the sanitary manner as per the Rules and so also container area should be accessible to the Operator vehicle to come and to collect the container.

- X. The Operator shall return to the Generators all non-conforming waste that is received by it/send to the facility. The cost of transportation of such non-conforming waste from the facility to the premises of the generator shall be borne by the generator.
- XI. In case a waste is classified as explosive in nature the fact has to be informed to the Operator. Detailed information on its characteristics and safe handling practices shall be furnished in advance to the Operator. In case no information is provided or information is held back and in the event of any explosion or accident during transportation and/or during handling the Generator shall be solely responsible for all associated direct and in direct liabilities.
- XII. In the event of false information to be Operator of any nature is associated direct and indirect liabilities are the responsibility of the Generator.

**5. OBLIGATIONS OF THE OPERATOR:**


- I. The Operator shall accept hazardous wastes at the facility only from the Generators who are the registered members and have appropriate authorization from the PPCB and/all other statutory authorities. The Operator shall plan the schedule for collection, treatment, transportation and disposal of waste as per the mandate given by the Generator and as per the Rules and guidelines issued by the MOEF, CPCB, PPCB and other statutory regulation in respect thereto.
- II. The Operator shall provide to the Generator at its own cost the assistance and facilitation as may reasonably be requested by the Generators, in the classification, segregation and testing of hazardous wastes generated at Operational site of the generators provided that the generators shall be responsible for informing the Operator about any change in process that result/ may result in a change in the characteristics of the hazardous waste.
- III. The Operator shall not accept hazardous waste of a type and variety for which it does not have the requisite authorization or capacity.

For Madhav Alloys (P) Ltd.

Auth. 

**Signature On Behalf of Operator**

For Allied Recycling Limited

  
Authorised Signatory

**Signature On Behalf of Generator**

**6. ARIFF & OTHER CONDITIONS:**

I. The Operator shall pay to the Generator, in respect of APCD Dust lifted based on the content of Zn as under:


Zn content in APCD Waste	Rate to be paid (per Ton)
35% and Above	Rs. 3000/-
27% to 34%	Rs. 1500/-
10% to 26%	Rs. 500/-

- II. The above price shall be finalized on the basis of results / reports of sample testing done at the Operators' end.
- III. In case Zn content is less than 10%, there shall be no lifting of APCD Waste.
- IV. Labor will be Provided by Operator for lifting of APCD Dust from Generator Unit but generator will be responsible for proper filled the dust in bags with sealed for timely lifting the dust from generator unit.
- V. The expenses on loading & transportation shall be borne by the Operator.
- VI. Minimum 3 Ton lot is required for lifting of APCD Waste in one consignment. There shall be no lifting of waste if quantity is less than 3 Ton.
- VII. In case it is found that the APCD Waste mixed with foreign particles such as sand, garbage, or any other material, the generator will be charged Rs. 6000/- per ton (TSDF Charges) as the operator need to arrange the lifting of the same by TSDF. On the third (3<sup>rd</sup>) instance of such findings of the same Generator, the case shall also be referred to the PPCB.
- VIII. The validity of the contract shall be for one year from the date of signing of the contract.
- IX. Above sited tariff and other conditions are applicable for dry bag house APCD waste only.
- X. The operator shall not be bound to lift wet scrubber APCD waste. In case the operator lifts the same then it shall be without paying any amount.

**a) Dispatch of APCD Waste & Invoicing:**


- i. At the time of removal of APCD Waste from the premises of Generator, a delivery challan will be prepared by it giving the required details such as quantity, vehicle number and approximate value of the goods in it. If required, an E-way bill shall also be generated and sent along with delivery challan.
- ii. Once goods received in the premises of operator, and rates finalized on the basis of sample testing done, the same shall be communicated to the generator for issue of the tax invoice.
- iii. Based on the final rate as communicated, the generator shall issue a tax invoice giving reference number of the delivery challan earlier issued and all the details and shall also charge GST on invoice.
- iv. The payment of the invoice will be released within one month after receipt of invoice.

For Madhav Alloys (P) Ltd.

Auth. Sign  


**Signature On Behalf of Operator**

For Allied Recycling Limited

  
Authorised Signatory

**Signature On Behalf of Generator**



**v. TERMINATION:**

Either party shall have right to terminate the agreement in the event of violation of any of the term and conditions of this agreement by giving 30 days written notice to the other party.

**7. MISCELLANEOUS:**

- I.** Nothing contained herein shall be deemed to constitute a partnership, joint venture or agency and parties hereto.
- II.** This agreement may be modified or amended only by writing, duly executed by or on behalf of the parties hereto.

**For Madhav Alloys Pvt Ltd.**

For Madhav Alloys (P) Ltd.

Auth. Sign

**Authorized signatory**

**Rajesh Kumar Khanna**

**(AGM Purchase)**

**Generator**

For Allied Recycling Limited

Auth. Signatory

**Authorized signatory**

### TEST REPORT

Not Valid for Consent Purpose



TC-7477



Lab No. Lab/57  
Dated: 30.07.2021

<b>ULR No. :</b> TC747720000003725F		<b>Test Report No. :</b> EL241220NW001	
<b>Type of Sample :</b> Water (Ground Water)		<b>Date of Reporting :</b> 29/12/2020	
<b>Customer</b>	Allied Recycling Limited Project at Village Budhewal, Chandigarh Road, Ludhiana, Punjab	<b>Work Order No. &amp; Date</b>	EL/ARLP/TEL/533 Dt.: 22/12/2020
		<b>Customer reference No. (If any)</b>	NA
<b>Sampling Protocol</b>	IS:3025 (P-1) 1987 RA 2019	<b>Mode of Collection of Sample</b>	Sampling by laboratory
<b>Date of Sampling</b>	24/12/2020	<b>Date of Receipt of Sample</b>	24/12/2020
<b>Sampling Location</b>	From Borewell- Tap (Near Main Office)	<b>Testing Location</b>	Permanent Facility
<b>Testing Protocol</b>	IS 10500 : 2012 (Second Revision)	<b>Period of Analysis</b>	24/12/2020 To 29/12/2020
<b>Sample Description</b>	Clear colorless liquid.		
<b>Packing, Markings, Seal &amp; Qty.</b>	2 litre Plastic & 250ml Glass Bottle Marked 'R/24/01'		

### RESULTS

#### I -Chemical Testing

##### 1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Colour	Colour Units	BDL(DL5)	5	15	IS:3025(P-4):1983 RA2017
2	Odour	-	Agreeable	Agreeable	Agreeable	IS: 3025 (P-5): 1983 RA 2018
3	pH	-	7.02	6.5-8.5	No relaxation	IS:3025(P-11): 1984RA2017
4	Turbidity	NTU	BDL(DL0.1)	1	5	IS:3025(P-10):1984 RA2017
5	Chloride	mg/l	9	250	1000	IS:3025(P-32):1988 RA2019
6	Iron	mg/l	0.08	1.0	No relaxation	IS:3025(P-53):2003 RA 2019
7	Total hardness	mg/l	190	200	600	IS:3025(P-21):2009 RA2019

#### II -Biological Testing

##### 1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Total coliforms	CFU/100ml	Absent	Absent	-	IS:15185 :2016

Remarks : NA

#### OTHER INFORMATION

**Abbreviation :** ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

**Terms & Conditions :** Please refer terms and conditions on backside of Test Report (Page-1)

\*\*End of Report\*\*

  
Checked by QA

  
Simranjit Kaur  
Authorized Signatory-Biological

  
Dr Rai Singh  
Authorized Signatory-Chemical

## TEST REPORT



30.09.2020

Not Valid for Consent Purpose

ULR No. : NA		Test Report No. : EL241220NW001/A	
Type of Sample : Water (Ground Water)		Date of Reporting : 29/12/2020	
Customer	Allied Recycling Limited Project at Village Budhewal, Chandigarh Road, Ludhiana, Punjab	Work Order No. & Date	EL/ARLP/TEL/533 Dt.: 22/12/2020
		Customer reference No. (If any)	NA
Sampling Protocol	IS:3025 (P-1) 1987 RA 2019	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	24/12/2020	Date of Receipt of Sample	24/12/2020
Sampling Location	From Borewell- Tap (Near Main Office)	Testing Location	Permanent Facility
Testing Protocol	IS 10500 : 2012 (Second Revision)	Period of Analysis	24/12/2020 To 29/12/2020
Sample Description	Clear colorless liquid.		
Packing, Markings, Seal & Qty.	2 litre Plastic & 250ml Glass Bottle Marked 'R/24/01'		

## RESULTS

### II -Biological Testing

#### 1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Escherichia coli	CFU/100ml	Absent	Absent	-	IS:15185:2016

Remarks : This test report is the part of Test Report No. EL241220NW001.

### OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

\*\*End of Report\*\*

  
Checked by QA

  
Simranjit Kaur  
Authorized Signatory-Biological

## TEST REPORT



ULR No. : TC747720000003724F  
Date: 29.12.2020

Not Valid for Consent Purpose



ULR No. : TC747720000003724F		Test Report No. : EL241220NS001	
Type of Sample : Soil		Date of Reporting : 29/12/2020	
Customer	Allied Recycling Limited Project at Village Budhewal, Chandigarh Road, Ludhiana, Punjab	Work Order No. & Date	EL/ARLP/TEL/533 Dt.: 22/12/2020
		Customer reference No. (if any)	NA
Sampling Protocol	USEPA/600/R-92/128	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	24/12/2020	Date of Receipt of Sample	24/12/2020
Sampling Location	Plant Back Side	Testing Location	Permanent Facility
Testing Protocol	IS Method	Period of Analysis	24/12/2020 To 29/12/2020
Sample Description	Brown colored soil		
Packing, Markings, Seal & Qty.	2 Kg Poly Bag Marked 'R/24/02'		

## RESULTS

### I. Chemical Testing

#### 1. Pollution & Environment (Soil)

S.No.	Test Parameter	Unit	Result	Test Method
1	pH	--	6.77	IS: 2720 (P-26) 1987 RA2016
2	Conductivity	mmhos/cm	0.668	IS:14767: 2000 RA2016
3	Moisture Content	%	2.6	IS: 2720 (P-II) 1973 R 2015
4	Organic Matter	%	0.95	IS: 2720 (Part XXII) 1972 R2015
5	Texture	--	Sandy loam	IS: 2720(P- 4) 1985 RA 2015
6	Bulk Density	gm/cc	1.66	IS: 2720(P - III):1980 RA 2016

Remarks : NA

### OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable  
Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

\*\*End of Report\*\*

Checked by QA

Dr Rai Singh  
Authorized Signatory-Chemical

## TEST REPORT



#PCB-Ref. No. Lab/3238507  
Dated-30.09.2011

Not Valid for Consent Purpose



TC-7477

ULR No. : TC747720000003739F		Test Report No. : EL261220NN001	
Type of Sample : Ambient Noise		Date of Reporting : 29/12/2020	
Customer	Allied Recycling Limited Project at Village Budhewal, Chandigarh Road, Ludhiana, Punjab	Work Order No. & Date	EL/ARLP/TEL/533 Dt.: 22/12/2020
		Customer reference No. (if any)	NA
Sampling Protocol	IS 9989-1989, RA 2008	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	24/12/2020	Date of Receipt of Sample	26/12/2020
Sampling Location	Near Main Gate	Period of Analysis	26/12/2020 To 26/12/2020
Testing Protocol	IS 9989-1989, RA 2008		
Testing Location	Site Testing		

## RESULTS

### I- Chemical Testing

#### 1. Atmospheric Pollution (Ambient Noise Level)

S.No.	Test Parameters	Units	Results	Method
1	Ambient Day Time Noise Levels	dB(A)	70.8	LAB SOP: EL/SOP/NL/01

#### Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Day time shall mean from 6.00 a.m. to 10.00 p.m., Night time shall mean from 10.00 p.m. to 6.00 a.m., Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority, Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

\*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale 'A' which is relatable to human hearing.

Remarks : NA


### OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

\*\*End of Report\*\*

  
Checked by QA

  
Dr Rai Singh  
Authorized Signatory-Chemical

## TEST REPORT



Lab No. Lab/323  
Dated 30.09.2011

Not Valid for Consent Purpose



TC-7477

ULR No. : TC74772000003738F		Test Report No. : EL261220NA001	
Type of Sample : Ambient Air Quality		Date of Reporting : 29/12/2020	
Customer	Allied Recycling Limited Project at Village Budhewal, Chandigarh Road, Ludhiana, Punjab	Work Order No. & Date	EL/ARLP/TEL/533 Dt.: 22/12/2020
		Customer reference No. (If any)	NA
Sampling Protocol	IS:5182 and CPCB Air Manual Volume-I (NAAQMS/36/2012-13) / CPCBNAAQS-2009	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	24/12/2020	Date of Receipt of Sample	26/12/2020
Sampling Location	Near Main Gate	Period of Analysis	26/12/2020 To 29/12/2020
Testing Protocol	IS:5182 and CPCB Air Manual Volume-I (NAAQMS/36/2012-13) / CPCBNAAQS-2009	Environmental Conditions	Hazy weather was observed at evening & early morning.
Testing Location	Site Testing & Permanent Facility		

## RESULTS

### I-Chemical Testing

#### 1. Atmospheric Pollution (Ambient Air)

S.No.	Test Parameter	Unit	Result	Standard	Method
1	Particulate Matter (as PM10)	µg/m <sup>3</sup>	141	100	IS: 5182 (Part-23) : 2006, RA 2017
2	Particulate Matter (as PM2.5)	µg/m <sup>3</sup>	88	60	Lab SOP: EL/SOP/AAQ/01
3	Sulphur Dioxide (as SO2)	µg/m <sup>3</sup>	14	80	IS: 5182 (Part-2) : 2001, RA 2017
4	Nitrogen Dioxide (as NO2)	µg/m <sup>3</sup>	29	80	IS: 5182 (Part-6) : 2006, RA 2017
5	Ammonia (as NH3)	µg/m <sup>3</sup>	31	400	Lab SOP: EL/SOP/AAQ/02
6	Ozone (as O3)	µg/m <sup>3</sup>	23	180	IS: 5182 (Part-9) : 1974, RA 2019
7	Carbon Monoxide (as CO)	mg/m <sup>3</sup>	0.81	04	IS: 5182 (Part-10) :1999, RA 2019

Remarks : NA

### OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

\*\*End of Report\*\*

Checked by QA

Dr Rai Singh  
Authorized Signatory-Chemical



**EMPLOYEES' STATE INSURANCE CORPORATION**  
**Return of Declaration Form**  
**Regulation 14**

Annexure 6

**Name & Address of Factory or Establishment**

Allied Recycling Ltd.  
VPO Budhewal Chandigarh Road,  
Ludhiana.

**Employer's Code No.**

26000442310000599

I send herewith Declaration Forms in respect of the employees mentioned below. I hereby declare that every person employed as an employee within the meaning of Section 2(9) of the Employees' State Insurance Act, 1948 on ..... in this factory or establishment and in respect of a remuneration not exceeding Rs. 15,000/- (excluding remuneration for overtime work) per month has been included in this list (excepting only those in respect of whom declaration forms have been sent to the Corporation in the past).

Place

Local Office

Date

28/12/2020

Designation

SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
1	ABHAY KUMAR	2614067255	--	--	NO	16-10-2020
2	ACHCHELAL CHAUHAN	2613346521	--	--	NO	22-03-2017
3	AJAY PATHAK	2614018936	--	--	NO	21-07-2020
4	AJIT KUMAR PANDEY	2610179024	--	--	NO	10-06-2014
5	AMAR KISHORE	2612914454	--	--	NO	05-07-2014
6	AMAR KR SINGH	2611046477	--	--	NO	15-05-2013
7	AMRITPAL SINGH	2613899778	--	--	NO	19-11-2019

SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
8	ANIRUDH PARSHAD	2612391917	--	--	NO	10-02-2017
9	ANKUSH RATHI	2612640915	--	--	NO	03-02-2015
10	ARMAN	2614062137	--	--	NO	08-10-2020
11	BABADEEN	2613674970	--	--	NO	18-10-2018
12	BABLU RAI	2612640582	--	--	NO	10-08-2019
13	BABLU RAM	2613710274	--	--	NO	05-01-2019
14	BINAY KUMAR SINGH	2613710212	--	--	NO	18-09-2019
15	BIRENDER RABANI	2610182135	--	--	NO	06-02-2019
16	CHANDAN KUMAR YADAV	2613674979	--	--	NO	18-10-2018
17	CHANDESHWAR RAI	2610175472	--	--	NO	03-01-2018
18	DAVINDER SINGH	2610182131	--	--	NO	11-06-2013
19	DEEPAK	2613515480	--	--	NO	07-08-2020
20	DHARMENDER KUMAR YADAV	2614049428	--	--	NO	17-09-2020
21	DILDAR SINGH	2614102561	--	--	NO	25-12-2020
22	FATEH SINGH	2613481356	--	--	NO	10-08-2020
23	GAGANDEEP SINGH	2614083921	--	--	NO	20-11-2020



SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
24	GAJENDRA KUMAR	2613710204	--	--	NO	16-09-2020
25	GURINDER SINGH	2614060823	--	--	NO	06-10-2020
26	GURMEET SINGH	2613600678	--	--	NO	22-06-2018
27	GURPREET SINGH	2613436812	--	--	NO	09-08-2017
28	GURPREET SINGH	2613580909	--	--	NO	22-05-2018
29	GURSIMERJIT SINGH	2612835159	--	--	NO	09-08-2019
30	HARJIT SINGH	2613695572	--	--	NO	06-12-2018
31	HARPREET SINGH	2613275547	--	--	NO	04-06-2018
32	HIRA LAL YADAV	2610174054	--	--	NO	04-05-2019
33	JAGDEEP SINGH	2613515564	--	--	NO	04-02-2020
34	JAGDISH SINGH	2614062855	--	--	NO	09-10-2020
35	JAGTAR SINGH	2609904703	--	--	NO	03-01-2013
36	JANARDAN RAJBHAR	2613710296	--	--	NO	21-07-2020
37	JASMEL SINGH	1214602148	--	--	NO	07-09-2018
38	JASPAL SINGH	2614062866	--	--	NO	09-10-2020
39	JASWANT SINGH	2613278273	--	--	NO	16-10-2020

SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
40	JITENDRA KUMAR	2613566023	--	--	NO	14-08-2020
41	JITU KUMAR	2613519572	--	--	NO	06-10-2020
42	KAMESHWAR YADAV	2613710221	--	--	NO	16-09-2020
43	KARAMJEET SINGH	2613533239	--	--	NO	11-03-2020
44	KASHI NATH	2612487024	--	--	NO	20-07-2018
45	KHILA SINGH	2611046473	--	--	NO	25-09-2015
46	KOMALPREET SINGH	6111336960	--	--	NO	07-08-2020
47	KRIPA SHANKAR	2613507640	--	--	NO	21-09-2020
48	KULDEEP KUMAR	2613275501	--	--	NO	21-07-2020
49	LAKSHMAN KUMAR	2613710287	--	--	NO	07-08-2020
50	LOKNATH BHAGAT	2613546846	--	--	NO	21-11-2020
51	MAAN SINGH	2613444994	--	--	NO	19-08-2017
52	MANDEEP SINGH	2613515577	--	--	NO	05-01-2018
53	MANISH KUMAR	2613499469	--	--	NO	07-12-2017
54	MAYARAM	2613805699	--	--	NO	11-07-2019
55	MD NOOR KUTUB	2613580920	--	--	NO	22-05-2018

SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
56	MEGHAN KUMAR	2614060394	--	--	NO	05-10-2020
57	MEHAR SINGH	2613444973	--	--	NO	19-08-2017
58	MITHLESH KUMAR	2610175829	--	--	NO	04-02-2020
59	MOHAN SINGH	2612470941	--	--	NO	18-06-2018
60	NAGENDRA PANDIT	2614062945	--	--	NO	09-10-2020
61	NAKUL KUMAR	2614101469	--	--	NO	23-12-2020
62	NAVEEN KUMAR	2613519554	--	--	NO	12-01-2018
63	ONKAR SINGH	2613006546	--	--	NO	21-09-2020
64	PRAMOD KUMAR	2613519381	--	--	NO	12-01-2018
65	RAJAN KUMAR DUBEY	2613515474	--	--	NO	17-09-2020
66	RAJBIR SINGH	2613832123	--	--	NO	22-08-2019
67	RAJIV KUMAR	2614049389	--	--	NO	17-09-2020
68	RAJKISHOR SAV	2613515504	--	--	NO	20-07-2018
69	RAJNISH TIWARI	2613507894	--	--	NO	22-12-2017
70	RAJPAL SINGH	2612465775	--	--	NO	19-02-2018
71	RAJU KUMAR	2614062833	--	--	NO	09-10-2020

SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
72	RANJAN KUMAR	2613519394	--	--	NO	05-10-2020
73	RANJEET YADAV	2611052615	--	--	NO	16-09-2020
74	RAVI PANDEY	2613519418	--	--	NO	12-01-2018
75	RAVIRANJAN KUMAR	2613899776	--	--	NO	19-11-2019
76	RIJAUL HAK	2614062887	--	--	NO	09-10-2020
77	RUPESH KUMAR	2611046483	--	--	NO	14-05-2012
78	SAJID MAQSOOD	2613519491	--	--	NO	08-10-2020
79	SANJAY KUMAR	2610174052	--	--	NO	16-09-2020
80	SANJEET SAHNI	2613674976	--	--	NO	08-10-2020
81	SANTOSH KUMAR	2612611850	--	--	NO	02-05-2019
82	SANTOSH KUMAR	2614102581	--	--	NO	25-12-2020
83	SAROJ SINGH	2613239512	--	--	NO	04-05-2019
84	SHINGARA SINGH	2613284786	--	--	NO	09-01-2017
85	SHIV NARAYAN YADAV	2613402351	--	--	NO	06-02-2019
86	SHIV PARSHAD YADAV	2612390615	--	--	NO	10-07-2013
87	SHUBAM KUMAR	2614062844	--	--	NO	09-10-2020

SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
88	SHYAM KUMAR	2614018813	--	--	NO	21-07-2020
89	SIKANDER SINGH	2612438429	--	--	NO	01-09-2012
90	SIMRANJOT SINGH	2614048863	--	--	NO	16-09-2020
91	SOBHA SINGH	2609304250	--	--	NO	21-04-2017
92	SONU KUMAR	2613546801	--	--	NO	15-12-2020
93	SUJEET KUMAR	2613710233	--	--	NO	07-08-2020
94	SUNIL KUMAR SINGH	2612486908	--	--	NO	25-12-2014
95	SURAJ LAL	2609425265	--	--	NO	22-05-2018
96	SURJEET KUMAR	2612857252	--	--	NO	17-06-2017
97	SURJIT SINGH	2614066871	--	--	NO	16-10-2020
98	SURYA PRATAP SINGH	2613648139	--	--	NO	21-07-2020
99	TUFAAN KUMAR SINGH	2613580942	--	--	NO	22-05-2018
100	VARUN KAPOOR	2613499454	--	--	NO	07-12-2017
101	VI JAY	2613533482	--	--	NO	10-02-2018
102	VINEET KUMAR	2614060832	--	--	NO	06-10-2020
103	VIPIN SINGH	2609066340	--	--	NO	05-01-2017

SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
104	VISHAL RAJBHAR	2613710305	--	--	NO	05-01-2019
105	VISHAL SINGH	2613710302	--	--	NO	21-07-2020
106	YOGESH SINGH SAMMAL	2613805708	--	--	NO	11-07-2019

# Annexure 7

Annexure-C

## Details of CSR/Socio-economic development activities undertaken since implementation of the expansion project.

S.No.	Date	Beneficiary	Details of activities	Amount (Rs.)
1.	17.12.16	Young Sports Club, Budhewal	Sports competitions and cultural activities.	11000.00
2.	14.04.12	Society for welfare of the Handicapped (Regd.), Patiala.	The society is running boarding school for deaf, dumb and blind children.	11000.00
3.	30.01.18	Crop Development Society of India, Ludhiana	Contribution towards seminar "Scientific Advances for Inclusive Development and Environmental Protection" organized by Punjab Agriculture University Ludhiana.	15000.00
4.	19.06.18	Shri Raghunath Hospital Society, Ludhiana.	A charitable hospital for the treatment poor and deprived section of society.	500000.00
5.	13.12.18	Social Action Group, Ludhiana	Under 'Ek Paryas, project the Group running institution for children with special needs.	100000.00
6.	12.02.19	Young Sports Club, Budhewal	Sports competitions and cultural activities.	21000.00
7.	18.03.19	Krishan Balrm Gaushala Trust (Regd.), Ludhiana	The Samiti is running a 'Goushala', a shelter home for abandoned and ill cows.	62000.00
8.	14.05.19	Shri Gobind Godham (Gow Sewa Samiti – Regd.), Ludhiana	The Samiti is running a 'Goushala', a shelter home for abandoned and ill cows.	100000.00
9.	13.11.19	Sports Council PSEB Patiala, Kohara.	Sports competitions and cultural activities organized by employees of Punjab State Power Corporation Limited.	10000.00
10.	26.03.20	Police Welfare Fund, Ludhiana.	The donation has been given to District Police administration for distribution of relief material to needy people in Ludhiana district during COVID-19 pandemic.	100000.00
11.	28.05.20	Shri Gobind Godham (Gow Sewa Samiti – Regd.), Ludhiana	The Samiti is running a 'Goushala', a shelter home for abandoned and ill cows.	101000.00
12.	22.06.20	Staff and Labour of Allied Recycling Limited.	Special assistance was provided to employees during lockdown due to COVID-19 pandemic.	879600.00
<b>Total</b>				<b>1910600.00</b>

For Allied Recycling Limited

  
Director



**भारतीय स्टेट बैंक**  
**State Bank Of India**

(04073)-SME SUNDER NAGAR LUDHIANA  
SUNDERNAGAR  
LUDHIANA, DIST: LUDHIANA, PUNJAB 141008  
Tel : 161 5203472 Fax : IFS Code : SBIN004073 SWIFT :

केवल 3 महीने के लिए वैध / VALID FOR 3 MONTHS ONLY

1 7 1 2 2 0 1 6  
D D M M Y Y Y Y

PAY Young Sports Club.

क्रे या उनके आदेश पर OR ORDER

रुपये RUPEES Eleven Thousand only

अदा करें ₹ 11000/-

खा. सं. 10331017129  
A/c No

VALID UPTO ₹ 50 LACS AT NON-HOME BRANCH

CASH CREDIT A/C  
PREFIX :  
1516100004

*Hitesh  
Abney*

ALLIED RECYCLING LIMITED

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

Please sign above

⑈ 33396 1 ⑈ 14 100 20 29 ⑈ 000 299 ⑈ 30

*(Bimpy Bhatia)*

ੴ ਸਤਿਨਾਮ ਵਾਹਿਗੁਰੂ

**YOUNG SPORTS CLUB**

Village Budhewal (Ludhiana)

(Regd. No. 587)

**167**

No. ....

Date : 17-12-20/6

Received with thanks from Sh./Smt. A weed recycling Ltd.

The Sum of Rupees (in words) Eleven Thousand only.


on account of \_\_\_\_\_

by Cash/Cheque/Draft No. 333961 dt. 17/12/16 State Bank of India

**Rs. 11000/-**

*[Signature]*  
Signature





(00731)-SME MILLERGAJ LUDHIANA  
POST BAG NO.30, P.O.INDUSTRIAL  
ESTATE, LUDHIANA.DIST:LUDHIANA, PUNJAB 141003  
Tel : 161 5093703 Fax : 5093700 IFS Code : SBIN000731 SWIFT :

केवल 3 महीने के लिए वैध / VALID FOR 3 MONTHS ONLY

14/04/2017  
D D M M Y Y Y Y

PAY SOCIETY FOR WELFARE OF THE HANDICAPPED (REGD.)

को या उनके आदेश पर OR ORDER

रुपये RUPEES Eleven Thousand Only

अदा करें ₹ 11,000.00

खा.स. A/c No. 10331017129

VALID UPTO ₹ 50 LACS AT NON-HOME BRANCH

CASH CREDIT A/C

PREFIX :  
1516100004

*Handwritten Signature*  
ALLIED RECYCLING LIMITED

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

Please sign above

⑈ 754503 ⑈ 141002003⑈ 000845⑈ 30

Blind Can Feel - Deaf Can See - Your Kindness

Mob. : 97800-43892  
97800-43893  
0175-2050353, 2221098

# Society for Welfare of The Handicapped (Regd.)

S. KISHAN SINGH KAMBOJ HOSTEL, LOWER MALL, PATIALA

Managing : Patiala School For The Deaf

Patiala School For The Blind

Patiala School For The Deafblind

Vill. Saifdipur, Behind Punjabi University, Patiala

Registered with Govt. of India to receive direct Foreign Contribution-Regd. No. 115310019

Book No. 159

Receipt No. 36

Date 16/04/2017

RECEIVED with thanks from Sh./Smt. *Allied Recycling Ltd.*

Address *V.Po Budhmal, Chandigarh Road, Ludhiana*

Donation of Rs. *Eleven thousand only*

for *Donation* by Cash/Cheque/Draft No. *754503 (SBI)*

Dated *14/04/2017*

Rs. *11000/-*

Permanent exemption from Income Tax under Sec. 80-G of IT Act 1961 Sanctioned as per letter No. CIT/PTA/TECH/1124/80-9/2007-2008/2259 Dt. 20.02.2008 and amended clause (vi) sub sec (5) of 2009 Income Tax Act.  
PAN No. AADTS8635E

*Gm. Lal Singh*  
Signature

24023 / 100 / BLUE ORDER / B / 28/Apr/2017  
SESHAASAI (D) / C/S-2010

**भारतीय स्टेट बैंक**  
**State Bank Of India**

(00731)-SME MILLERGAJ LUDHIANA  
POST BAG NO.30, P.O. INDUSTRIAL  
ESTATE, LUDHIANA DIST. LUDHIANA, PUNJAB 141003  
Tel : 161 5093703 Fax : 5093700 IFS Code : SBIN000731 SWIFT :

केवल 3 महीने के लिए वैध / VALID FOR 3 MONTHS ONLY  
30012018  
D D M M Y Y Y Y

PAY Crop Improvement Society of India को या उसके आदेश पर OR ORDER

रुपये RUPEES Fifteen Thousand only. अवा करें ₹ 15000/-

खा. सं. A/c No. **10331017129**

VALID UPTO ₹ 50 LACS AT NON-HOME BRANCH

CASH CREDIT A/C  
PREFIX :  
1516100004

**ALLIED RECYCLING LIMITED**  
Please sign above

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

⑈833945⑈ 141002003⑈ 000845⑈ 30

# 21<sup>st</sup> Punjab Science Congress

February 7-9, 2018

## SCIENTIFIC ADVANCES FOR INCLUSIVE DEVELOPMENT AND ENVIRONMENTAL PROTECTION



Under the Aegis of  
**Punjab Academy of Sciences,  
Patiala**

Organized by  
**Punjab Agricultural University  
Ludhiana-141004**





श्री रघुनाथ हस्पताल

# SHREE RAGHUNATH HOSPITAL SOCIETY

AGGAR NAGAR, FEROPUR ROAD, LUDHIANA-141 012.

Registered for Exemption U/S 80-G of the Income Tax Act, 1961 Vide C.I.T. Ludhiana  
Order No. C.I.T.-III/LDH./JB/80-G/315/10-11/5113 Dt. 24-03-2011

RECEIPT No. **713**

PAN - AADTS4968G

Dated 19/06/2018

Received with thanks from Sh./Smt. M/S ALLIED RECYCLING LIMITED

the sum of Rupees FIVE LAKH ONLY

on account of DONATION

vide Cash/Cheque/Bank Draft No. CHNO-064020 SBI dt 18/6/2018

For Shree Raghunath Hospital Society

₹ 500000/-

Subject to encashment of Cheque / Draft

[Signature]  
President / Treasurer / Secretary

ੴ ਸਤਿਗੁਰ ਪ੍ਰਸਾਦਿ॥

# YOUNG SPORTS CLUB

Village Budhewal (Ludhiana)

(Regd. No. 587)

YOUNG SPORTS CLUB

No. **1908**

Dated 12-25-19

Received with thanks from Sh./Smt. Allied Recycling

the sum of Rupees (in words) Twenty thousand

only

On account of \_\_\_\_\_

by Cash/Cheque/Draft No. 675/00 Dated 12/02/19

**Rs.** 21000

[Signature]  
Signature



# श्री गोविन्द गौ धाम

संचालक: गौ सेवा समिति (रजि०)

रजि. ऑफिस : कमर्शियल स्टेशनज, गिल रोड, लुधियाना।

प्रताप सिंह वाला, हम्बडां रोड, लुधियाना ।

M : 98724-28788, 94175-00000, 98149-49492, 98720-22224, 94170-01043

DATE:-14/05/2019

TO

SH. VIJAY ABROLJI

C/OALLIEDRECYCLING LIMITED

We have received your Ch. No.064447 Rupees 100000/-

( One Lac only). Our receipt No.229 dt.15/05/2019 against this chq.

We are very grateful to you for the contribution you have make in Our SHREE GOVIND GOW  
DHAM .(GOW SEWA SAMITI).

Note: Attach Receipt & 80 G

Thanks,  
With Regards,

*Ashok Dhawan*  
ASHOK DHAWAN

राधे राधे

असहाय, लाचार व बीमार गायों की एक मात्र गौशाला

दूरभाष: 2808090  
98149 49492  
98720-22224

## श्री गोविन्द गौ धाम

संचालक: गौ सेवा समिति (रजि०)

हम्बडां रोड, ब्रेटर कैलाश कालोनी, सामने राधा स्वामी सत्संग घर, लुधियाना  
सम्पर्क सूत्र: 94175-00000, 98724-28788, 98764-22222

क्रमांक : 229

दिनांक 15/05/19

श्रीमान/श्रीमति Allied Recycling Limited

च.नं. 064447 dt. 14/05/19 SBT जी से

रु. One Lac only

गौशाला हेतु धन्यवाद सहित प्राप्त किये।

₹ 100000

Donations Eligible for Tax Relief U/S 80-G of Income Tax Act, 1961  
Vide Order No. CIT-II LDH JB 80-G 09-10 DT. 05-06-09

हम सब का एक ही लक्ष्य भगवान कृष्ण की भक्ति और मार गायों की सेवा

PAN No. AAATG2842A PNB A/C No. 3463000101658164 RTGS IFSC CODE PUNB0346300

26/22/100/BLUE ORDER/1/28/Jan.2018  
SESHAASA (D) / CTS-2010

Holey

भारतीय स्टेट बैंक  
State Bank Of India

(00731)-SME MILLERGAJ LUDHIANA  
POST BAG NO.30, P.O.INDUSTRIAL  
ESTATE, LUDHIANA, DIST:LUDHIANA, PUNJAB 141003  
Tel : Fax : IFS Code : SBI00000731 SWIFT :

वैधता 3 महीने के लिए है / VALID FOR 3 MONTHS ONLY  
13112019  
D D M M Y Y Y Y

PAY Sports Council PSEB Patiala

₹ 694 RUPEES Ten Thousand only

अदा करे ₹ 10000/2

10331017129

VALID UPTO ₹ 50 LACS AT NON-HOME BRANCH

CASH CREDIT A/C  
PREFIX :  
5078000004

*Handwritten Signature*

ALLIED RECYCLING LIMITED

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

⑈842637⑈ 141002003⑈ 000845⑈ 30

Welcome : ALLIED RECYCLING LTD (29116) [Know More](#)

SANJAYGARG

You are here: / Reports / Query By Account

**e-PayOrder Details****e-PayOrder Details**

e-PayOrder Number CNAAYTVLP1

Debit Status Success

26-Mar-2020

POLICE WELFARE FUNDS

One Lakh only

1,00,000.00

00000010331017129

RNW MILLERGANJ, LUDHIANA

SANJAYGARG  
MAKER  
"CNAAYTVLP1"SANJAYGARG  
Authorizer 1

Counterfoil Description ALLIED RECYCLING LTD

Transaction Type NEFT Funds transfer

GSTIN Number --

**Debit Account Details**

Account No.	Branch	Amount
00000010331017129	RNW MILLERGANJ, LUDHIANA	1,00,000.00

**Credit Account Details**

Beneficiary Name/Account No.	Bank/Branch/IFSCCode	Amount	Credit Status	UTR No.
------------------------------	----------------------	--------	---------------	---------

Beneficiary Name/Account No.	Bank/Branch/IFSCCode	Amount	Credit Status	UTR No.
POLICE WELFARE FUNDS/50100213047863	HDFC BANK/LUDHIANA - STOCK EXCHANGE EXTN CTR/HDFC0000634	1,00,000.00	Credited to Beneficiary Account	SBIN120086298405

[Privacy Statement](#)   [Terms of Service \(Terms & Conditions\)](#)

© State Bank of India

Site best viewed at 1024 x 768 resolution in I.E 10 +, Mozilla 35 +, Google Chrome 35 +







# श्री गोविन्द गौ धाम

दूरभाष: 2808090  
98149-49492  
98720-22224

संचालक: गौ सेवा समिति (रजि0)

हम्बडां रोड, ग्रेटर कैलाश कालोनी, सामने राधा स्वामी सत्संग घर, लुधियाना  
सम्पर्क सूत्र: 94175-00000, 98724-28788, 0161-2307090

क्रमांक : 206

दिनांक 28/5/2020

प्रेमान/श्रीमति ..... Allied Recycling Limited

कैश/चेक/डीडी/डैबिट/क्रेडिट कार्ड नं. Chq. No. 41894 से

One Lakh One thousand only

पेशाला हेतु धन्यवाद सहित प्राप्त किये। P.No, AAECA 76485

₹ 101000

Donations Eligible for Tax Relief U/S 80-G of Income Tax Act. 1961  
Vide Order No. CIT-II LDH JB 80-G 09-10 DT. 05-06-09

हम सब का एक ही लक्ष्य भगवान कृष्ण की भक्ति और मात्र गायों की सेवा

IN No. AAATG2842A

PNB A/C No. 3463000101658164

RTGS IFSC CODE PUN80346300

**PROJECT : EK PRAYAAS**

Adj. Radha Swami Satsang Beas, Centre-VI, Thakur Colony,  
Behind Sterling Resorts, Pakhowal Road, Ludhiana-142022



# SOCIAL ACTION GROUP

13-C, SARABHA NAGAR, LUDHIANA (PUNJAB). PHONE : 0161-2170084

Receipt No. **10172**

Dated **18/12/2018**

Received with thanks from **Allied Recycling Limited**

the sum of Rupees **One lakh only**

on account of **Donation**

by Cash/Cheque/Draft No. **064326** Dated **13/12/2018**

Rs. **100000/-**

**FOR SOCIAL ACTION GROUP**  
PAN NO. AABTS 6775 M  
**Bealon**  
Authorised Signatory

Exempted under Section 80-G  
Act 1987. Vide Letter No.  
Dated 06/05/2005  
1-04-2009 onwards.

# कृष्ण बलराम गौशाला ट्रस्ट (रजिः)

सिंगला इन्कलेव, गाँव दुलों खुर्द, लुधियाना।

सम्पर्क सूत्र : 9216451217, 9316918317, 9814200100, 9814053162, 9814044306, 9888200800, 9814024387, 9316901300

PAN NO : AAATK8412A

\* गौ सेवा हेतु दान \*

क्रमांक: 39506

तिथि: 18/03/19

श्रीमान/श्रीमति Allied Recycling Limited जी

निवासी VPO Buelhewal Chandhijseh Road Ludhiana

दान की रकम (अक्षरों में) Sixty two thousand only.

धन्यावाद सहित प्राप्त की। चैक नं: 064431 बैंक S.B.I

रु. 62000/-

Axis Bank, A/c No. 917010071545998

IFS Code : UTIB0001809

Union Bank, A/c No. 397302010060427

IFS Code : UBIN0539732

Deduction Allowed U/S 80G Vide Letter No. CIT/LDH-I/TECH/80G/2/2007-08/1290

Dated 08/11-06-2007 read with Circular No. 5 of 2010 Dt : 30-06-2010

Sul  
हस्ताक्षर

ALLIED RECYCELING LTD.  
VPO.Budhewal, Chandigarh Road,  
Ludhiana (PB)  
Ledger (2020-21)

Account STAFF & LABOUR WELFARE(COVID-19)

Period 01/Apr/20 to 30-Jun-20

Date	Narration	Ref.	Debit	Credit	Balance	
22-May-20	To AMOUNT PAID TO STAFF AND LABOUR AS SPECIAL ASSITANCE DURING COVID-19 LOCKDOWN (492100+75700)	BB04	567,800.00		567,800.00	Dr
09-Jun-20	To AMOUNT PAID TO STAFF AND LABOUR AS SPECIAL ASSITANCE DURING COVID-19 LOCKDOWN (57200+23100)	BB04	80,300.00		648,100.00	Dr
22-Jun-20	To AMOUNT PAID TO STAFF AND LABOUR AS SPECIAL ASSITANCE DURING COVID-19 LOCKDOWN (192400+39100)	BB04	231,500.00		879,600.00	Dr
	Total		879,600.00			

**THE PUNJAB HEALTH SYSTEMS CORPORATION**

**COMMUNITY HEALTH CENTRE  
SAHNEWAL(LUDHIANA)  
OPD SLIP**



Registration No. : 44947 Date : 19/11/20

Name Shekhar Age 24 Sex M

Father's/ Husband's Name \_\_\_\_\_ Category: \_\_\_\_\_

Address \_\_\_\_\_

Diagnosis \_\_\_\_\_

Date/Reports	Notes & Treatment
--------------	-------------------

- Asymptomatic  
- No Hb Cap cell free  
- No Hb any body seen

*[Handwritten signature]*

Dr GURDIP  
Services  
Officer  
CHC Sahnewal Ludhiana  
(PMC 47103)

Please visit : [www.punjabhealth.co.in](http://www.punjabhealth.co.in)

**THE PUNJAB HEALTH SYSTEMS CORPORATION**

**COMMUNITY HEALTH CENTRE  
SAHNEWAL(LUDHIANA)  
OPD SLIP**



Registration No. : 44948 Date : 19/11/20  
Name Sandeep Kumar Age 35y Sex M  
Father's/ Husband's Name \_\_\_\_\_ Category: \_\_\_\_\_  
Address \_\_\_\_\_

Diagnosis \_\_\_\_\_

Date/Reports \_\_\_\_\_ Notes & Treatment \_\_\_\_\_

- Asymptomatic  
- No Nb cough Cold fever  
- No Nb any body aches

Dr GURDIP SINGH  
Punjab Civil Med Services  
Medical officer  
CHC Sahnewal Ludhiana  
(PMC 47103)

Please visit : [www.punjabhealth.co.in](http://www.punjabhealth.co.in)



Chandwara Sahib Road, Near Govt. High School & Pathak Telecom, KOHARA (Ldb)

Medical Lab. Technologist :

**Mr. Jagjit Singh Kailey**

B.Sc. (Med. Technologist)

Ex. Tech. Preat Diagnostic Laboratory (Ltd.)

Cell : 98721-76909

E-mail : harrykaileylab@gmail.com

Timing :

Everyday 8.00 a.m. to 8.00 p.m.

\*Sunday 8.00 a.m. to 2.00 p.m.

Not Valid For Medical Legal Purpose. All Investigation Need Clinical Correlation. We Believe In Reliable, Accurate & Prompt Results. Fully Computerised (High-Tech) Laboratory

### COMPLETE BLOOD CELL (CBC)

ID: 3

Mode: WB - All

Time: 09-08-2018 09:39

Name: SHIVAM PAL




Gender: Male Age: 19 years

Chart No.:

Bed No.:

Dept.: HEMATOLOGY

Parameter	Result	Ref. Range
WBC	5.9 x 10 <sup>9</sup> /L	4.0 - 11.0
Lymph#	2.3 x 10 <sup>9</sup> /L	0.8 - 4.0
Mid#	0.3 x 10 <sup>9</sup> /L	0.1 - 0.9
Gran#	3.3 x 10 <sup>9</sup> /L	2.0 - 7.0
Lymph%	38.5 %	20.0 - 40.0
Mid%	6.4 %	3.0 - 13.0
Gran%	55.1 %	40.0 - 70.0
HGB	11.4 g/dL	11.0 - 16.0
RBC	4.11 x 10 <sup>12</sup> /L	3.59 - 5.50
HCT	41.5 %	35.0 - 50.0
MCV	101.1 fL	80.0 - 96.0
MCH	27.7 pg	25.0 - 32.0
MCHC	27.4 g/dL	30.0 - 35.0
RDW-CV	19.0 %	11.5 - 14.5
RDW-SD	66.2 fL	32.0 - 56.0
PLT	183 x 10 <sup>9</sup> /L	150 - 450
MPV	11.7 fL	6.0 - 13.0
PDW	15.6	10.0 - 17.0
PCT	0.214 %	0.108 - 0.282



Sender :

Tester: JAGJIT SINGH

Checker:







Medical Lab. Technologist :

**Mr. Jagjit Singh Kailey**

B.Sc. (Med. Technologist)

Ex. Tech. Preet Diagnostic Laboratory (Ltd.)

Cell : 98721-76909

E-mail : harrykaileylab@gmail.com

Timing :

Everyday 8.00 a.m. to 8.00 p.m.

\*Sunday 8.00 a.m. to 2.00 p.m.

Not Valid for Medical Legal Purpose. All Investigation Need Clinical Correlation. We Believe in Reliable, Accurate & Prompt Results. Fully Computerised (High-Tech) Laboratory

## COMPLETE BLOOD CELL (CBC)

Id: 2

Node: WB - All

Time: 09-08-2018 09:33

Name: JAI RAM




Gender: Male Age: 37 years

Chart No.:

Bed No.:

Dept.: HEMATOLOGY

Parameter	Result	Ref. Range
WBC	9.0 $\times 10^9/L$	4.0 - 11.0
Lymph#	1.3 $\times 10^9/L$	0.5 - 4.0
Mid#	1.2 $\times 10^9/L$	0.1 - 0.9
Gran#	6.5 $\times 10^9/L$	2.0 - 7.0
Lymph%	14.5 %	20.0 - 40.0
Mid%	13.8 %	3.0 - 13.0
Gran%	71.7 %	40.0 - 70.0
HGB	11.0 g/dL	11.0 - 16.0
RBC	5.15 $\times 10^{12}/L$	3.59 - 5.50
HCT	47.6 %	35.0 - 50.0
MCV	93.1 fL	80.0 - 96.0
MCH	27.0 pg	25.0 - 32.0
MCHC	27.0 g/dL	30.3 - 35.0
RDW-CV	18.3 %	11.5 - 14.5
RDW-SD	55.1 fL	35.0 - 56.0
PLT	772 $\times 10^9/L$	150 - 450
MPV	10.8 fL	5.0 - 13.0
PDW	14.0 %	10.0 - 17.0
PCT	0.401 %	0.108 - 0.282



Sender:

Tester: JAGJIT SINGH

Checkers:



Medical Lab. Technologist :

**Mr. Jagjit Singh Kailey**

B.Sc. (Med. Technologist)

Ex. Tech. Preet Diagnostic Laboratory (Ltd.)

Cell : 98721-76909

E-mail : harrykaileylab@gmail.com

Timing :

Everyday 8.00 a.m. to 8.00 p.m.

\*Sunday 8.00 a.m. to 2.00 p.m.

Not Valid For Medical Legal Purpose. All Investigation Need Clinical Correlation. We Believe In Reliable, Accurate & Prompt Results. Fully Computerised (High-Tech) Laboratory

## COMPLETE BLOOD CELL (CBC)

ID: 4

Mode: WB - All

Time: 09-08-2018 10:15

Name: LOK NATH




Gender: Male Age: 45 years

Chart No.:

Bed No.:

Dept.: HEMATOLOGY

Parameter	Result	Ref. Range
WBC	7.4 x 10 <sup>9</sup> /L	4.0 - 11.0
Lymph#	2.5 x 10 <sup>9</sup> /L	0.8 - 4.0
Mid#	1.2 x 10 <sup>9</sup> /L	0.1 - 0.9
Gran#	3.9 x 10 <sup>9</sup> /L	2.0 - 7.0
Lymph%	33.0 %	20.0 - 40.0
Mid%	15.6 %	3.0 - 13.0
Gran%	51.4 %	40.0 - 70.0
HGB	13.4 g/dL	11.0 - 16.0
RBC	4.91 x 10 <sup>12</sup> /L	3.59 - 5.50
HCT	49.5 %	35.0 - 50.0
MCV	101.0 fL	80.0 - 96.0
MCH	27.2 pg	25.0 - 32.0
MCHC	27.0 g/dL	30.0 - 35.0
RDW-CV	13.6 %	11.5 - 14.5
RDW-SD	59.1 fL	32.0 - 56.0
PLT	198 x 10 <sup>9</sup> /L	150 - 450
MPV	10.0 fL	6.0 - 13.0
PDW	15.0 %	10.0 - 17.0
PCT	0.198 %	0.108 - 0.282



Sender:

Tester: JAGJIT SINGH

Checker:



Garudwara Sahib Road, Near Govt. High School & Pathak Telecom, KOTARA (Ldh)

Medical Lab. Technologist :

**Mr. Jagjit Singh Kailey**

B.Sc. (Med. Technologist)

Ex. Tech. Preet Diagnostic Laboratory (Ltd.)

Cell : 98721-76909

E-mail : harrykaileylab@gmail.com

Timing :

Everyday 8.00 a.m. to 8.00 p.m.

\*Sunday 8.00 a.m. to 2.00 p.m.

Not Valid for Medical/Legal Purpose. All Investigation Need Clinical Correlation. We Believe In Reliable, Accurate & Prompt Results. Fully Computerised (High-Tech) Laboratory

### COMPLETE BLOOD CELL (CBC)

ID# 1

Mode: WB - All

Time: 09-08-2018 09:21

Name: DEEPAK




Gender: Male Age: 27 years

Chart No.:

Bed No.:

Dept.: HEMATOLOGY

Parameter	Result	Ref. Range
WBC	8.0 x 10 <sup>9</sup> /L	4.0 - 11.0
Lymph#	2.6 x 10 <sup>9</sup> /L	0.8 - 4.0
Mid#	0.9 x 10 <sup>9</sup> /L	0.1 - 0.9
Gran#	4.5 x 10 <sup>9</sup> /L	2.0 - 7.0
Lymph%	32.1 %	20.0 - 40.0
Mid%	12.2 %	3.0 - 13.0
Gran%	55.7 %	40.0 - 70.0
HGB	15.2 g/dL	11.0 - 16.0
RBC	5.48 x 10 <sup>12</sup> /L	3.59 - 5.50
HCT	53.5 %	35.0 - 50.0
MCV	97.7 fL	80.0 - 96.0
MCH	27.7 pg	25.0 - 32.0
MCHC	28.4 g/dL	30.0 - 35.0
RDW-CV	13.9 %	11.5 - 14.5
RDW-SD	51.2 fL	32.0 - 56.0
PLT	307 x 10 <sup>9</sup> /L	150 - 450
MPV	8.9 fL	6.0 - 13.0
PDW	14.5	10.0 - 17.0
PCT	0.273 %	0.108 - 0.282



Sender:

Tester: JAGJIT SINGH

Checker:



# GURU KIRPA HOSPITAL

(A MULTI SPECIALITY HOSPITAL)

932

Opp. Satsang Ghar, Machhiwara Road, KOHARA.

M. : 94179-17601  
M. : 99145-36901



**MANAGING DIRECTOR**  
**SKIN & V.D. SPECIALIST**

**Dr. SATISH NAUHRIA**

M.B.B.S., D.D.S.T.D., P.C.M.S.I. (Ex)  
Ex. SENIOR CONSULTANT SKIN  
& V.D. DEPTT.  
CMC HOSPITAL, BROWN ROAD, LDH.  
M. : 98140-22165  
(ਚਮੜੀ ਅਤੇ ਕੁਪੜ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ)  
drnauhria@gmail.com

**DEPT. OF ORTHOPEDIC**

**Dr. H. KUMAR**

M.B.B.S., F.A.G.E., D.N.B. (Ortho)  
Ex. Registrar M.D. Oswal Hospital  
Ludhiana

**DEPT. OF SURGERY & LAPROSCOPY**

**Dr. PARAMJIT SINGH**

M.B.B.S., M.S. DNB  
(Advance Laproscopic Surgeon)

**MEDICAL & HEART SPECIALIST**

**Dr. RAVI SINGLA**

M.B.B.S., MD (Medicine)  
Ex. Resident C.M.C. Hospital Ludhiana

**DEPTT. OF PAED.**

**Dr. NAVEEN SIKKA**

M.B.B.S., DCH. (Child Specialists)



## FACILITIES

1. Well Equipped Operation Theater.
2. Indoor Facility, Well-Trained Nursing Staff.
3. X-Ray, ECG, Laboratory.
4. Children & New-Born Care.
5. Immunisation
6. Stone-Lithotripsy, Ureterscopy, PNCL
7. TUR-Prostate & TUR (BT)
8. Urethral Stricture Endoscopia (O.I.U.)
9. Laproscopic Surgery
10. All Type of Major & Minor Surgeries
11. Male Sexual Disorder
12. Ambulances Services

Name.....Age/Sex Male Date 15/9/2017

Temp.....

B.P. ....

Wt. ....

It is to be certify that Gurdev Kumar S/O Shri Sunil Saini Age 23Y/M is Physically as well as Mentally fit and free from any chest disease and respiratory function is normal. Blood report is attached with this certificate.

**Dr. SATISH NAUHRIA**  
M.B.B.S., D.D.S.T.D., MD VA PCMSI (C)

\* Not Valid for Medico Legal Purpose

**EMERGENCY 24 HOURS**

# GURU KIRPA DIAGNOSTIC LAB

( Computerized )

Machhiwara Road, KOHARA, Near Satsang Ghar  
98148-36709, 95923-89098

DML Tech-  
Beant Singh Rai



PATIENT NAME : MR.GURDEV KUMAR

AGE/SEX : 28 Y/M

REF BY Dr. : RAVINDER CHHABRA

DATE : 15.09.2017

## COMPLETE BLOOD CELL ( CBC ) HAEMATOLOGY

INVESTIGATION	RESULT	NORMAL RANGE
HGB	16.4	11.0 - 16.0 G%
WBC	11.3	4.5 - 11.5 x 10 <sup>9</sup> /L
LYMPH%	21.3	20.0 - 40.0%
MID%	11.9	1.0 - 15.0%
GRAN%	66.8	50.0 - 70.0%
RBC	4.86	3.50 - 5.50 x 10 <sup>12</sup> /L
HCT	43.1	36.0 - 48.0%
MCV	88.6	80.0 - 99.0 f L
MCH	33.7	26.0 - 32.0 pg
MCHC	38.1	32.0 - 36.0 g/d L
PLT	255	150 - 450 x 10 <sup>9</sup> /L
ESR		< 20 mm/hrs

Signature

< 20 mm/hrs

Biochemistry  
Auto Analyzer

NOT VALID FOR MEDICO LEGAL PURPOSE  
SUNDAY HALF DAY

Haematology Cell-counter  
procyan ocean (Orion30) German

# GURU KIRPA DIAGNOSTIC LAB

( Computerized )

Machhiwara Road, KOHARA, Near Satsang Ghar

98148-36709, 95923-89098

DML Tech-  
Beant Singh Rai



PATIENT NAME : MR.GURDEV KUMAR

AGE/SEX : 28 Y/M

REF BY Dr. : RAVINDER CHHABRA

DATE : 15.09.2017

## BIOCHEMISTRY REPORTS

INVESTIGATION	RESULT	NORMAL RANGE
RANDOM BLOOD SUGAR	97	70 - 140 msg/dl

Signature

Biochemistry  
Auto Analyzer

NOT VALID FOR MEDICO LEGAL PURPOSE.  
SUNDAY HALF DAY

Haematology Cell-counter  
procan ocean (Orion30) German



# GURU KIRPA HOSPITAL

(A MULTI SPECIALITY HOSPITAL)  
933

Opp. Satsang Ghar, Machhiwara Road, KOHARA.

M. : 9417911601  
M. : 9914516901

**MANAGING DIRECTOR**  
**SKIN & V.D. SPECIALIST**

**Dr. SATISH NAUHRIA**

M.B.B.S., D.D.S.T.D., P.C.M.S.I. (Ex)  
Ex. SENIOR CONSULTANT SKIN  
& V.D. DEPTT.  
CMC HOSPITAL, BROWN ROAD, LDH.  
M. : 98140-22165  
(ਚਮੜੀ ਅਤੇ ਗੁਪਤ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ)  
drnauhria@gmail.com

**DEPT. OF ORTHOPEDIC**

**Dr. H. KUMAR**

M.B.B.S., F.A.C.E., D.N.B. (Ortho)  
Ex. Registrar M.D. Oswal Hospital  
Ludhiana

**DEPT. OF SURGERY & LAPROSCOPY**

**Dr. PARAMJIT SINGH**

M.B.B.S., M.S. DNB  
(Advance Laproscopic Surgeon)

**MEDICAL & HEART SPECIALIST**

**Dr. RAVI SINGLA**

M.B.B.S., MD (Medicine)  
Ex. Resident C.M.C. Hospital Ludhiana

**DEPTT. OF PAED.**

**Dr. NAVEEN SIKKA**

M.B.B.S., DCH. (Child Specialists)

★ ————— ★  
**FACILITIES**

1. Well Equipped Operation Theater.
2. Indoor Facility, Well-Trained Nursing Staff.
3. X-Ray, ECG, Laboratory.
4. Children & New-Born Care.
5. Immunisation
6. Stone-Lithotripsy, Ureterscopy, PNCL
7. TUR-Prostate & TUR (BT)
8. Urethral Stricture Endoscopis (O.I.U.)
9. Laproscopic Surgery
10. All Type of Major & Minor Surgeries
11. Male Sexual Disorder
12. Ambulances Services

Name..... Age/Sex *Male* Date *15/9/2017*

Temp.....

B.P. ....

Wt. ....

It is to be certify that Manish Kumar S/O Shri Vijender Singh Age 30Y/M is Physically as well as Mentally fit and free from any chest disease and respiratory function is normal. Blood report is attached with this certificate.

*[Signature]*  
**DR. SATISH NAUHRIA**  
M.B.B.S. D.D.S.T.D. MOVA PCMSI (E)

\* Not Valid for Medico Legal Purpose

**EMERGENCY**


# GURU KIRPA DIAGNOSTIC LAB

( Computerized )

Machhiwara Road, KOHARA, Near Satsang Ghar

98148-36709, 95923-89098

DML Tech-  
Beant Singh Rai



PATIENT NAME : MR.MANISH

AGE/SEX : 30 Y/M

REF BY Dr. : RAVINDER CHHABRA

DATE : 15.09.2017

## COMPLETE BLOOD CELL ( CBC ) HAEMATOLOGY

INVESTIGATION	RESULT	NORMAL RANGE
HGB	15.6	11.0 - 16.0 G%
WBC	10.8	4.5 - 11.5 x 10 <sup>9</sup> /L
LYMPH%	20.1	20.0 - 40.0%
MID%	13.1	1.0 - 15.0%
GRAN%	66.8	50.0 - 70.0%
RBC	5.62	3.50 - 5.50 x 10 <sup>12</sup> /L
HCT	16.6	36.0 - 48.0%
MCV	78.3	80.0 - 99.0 f L
MCH	29.5	26.0 - 32.0 pg
MCHC	35.6	32.0 - 36.0 g/d L
PLT	237	150 - 450 x 10 <sup>9</sup> /L
ESR		< 20 mm/hrs

Signature

< 20 mm/hrs

Biochemistry  
Auto Analyzer

NOT VALID FOR MEDICO LEGAL PURPOSE.

SUNDAY HALF DAY

Haematology Cell-counter  
procen ocean (Orion30) German



# GURU KIRPA DIAGNOSTIC LAB

( Computerized )

Machhiwara Road, KOHARA, Near Satsang Ghar

98148-36709, 95923-89098

DML Tech-  
Beant Singh Rai



PATIENT NAME : MR.MANISH

AGE/SEX : 30 Y/M

REF BY Dr. : RAVINDER CHHABRA

DATE : 15.09.2017

.....  
BIOCHEMISTRY REPORTS

INVESTIGATION	RESULT	NORMAL RANGE
RANDOM BLOOD SUGAR	89	70 - 140 msg/dl

Signature

Biochemistry  
Auto Analyzer

NOT VALID FOR MEDICO LEGAL PURPOSE.  
SUNDAY HALF DAY

Haematology Cell-counter  
procen ocean (Orion30) German



# GURU KIRPA HOSPITAL

(A MULTI SPECIALITY HOSPITAL)

931

Opp. Satsang Ghar, Machhiwara Road, KOHARA.

M. : 94179-1760  
M. : 99145-3690



**MANAGING DIRECTOR**  
**SKIN & V.D. SPECIALIST**

**Dr. SATISH NAUHRIA**

M.B.B.S., D.D.S.T.D., P.C.M.S.I. (Ex)  
Ex. SENIOR CONSULTANT SKIN  
& V.D. DEPTT.  
CMC HOSPITAL, BROWN ROAD, LDH.  
M. : 98140-22165  
(ਚਮੜੀ ਅਤੇ ਗੁਪਤ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ)  
drnauhria@gmail.com

**DEPT. OF ORTHOPEDIC**

**Dr. H. KUMAR**

M.B.B.S., F.A.G.E., D.N.B. (Ortho)  
Ex. Registrar M.D. Oswal Hospital  
Ludhiana

**DEPT. OF SURGERY & LAPROSCOPY**

**Dr. PARAMJIT SINGH**

M.B.B.S., M.S. DNB  
(Advance Laproscopic Surgeon)

**MEDICAL & HEART SPECIALIST**


**Dr. RAVI SINGLA**

M.B.B.S., MD (Medicine)  
Ex. Resident C.M.C. Hospital Ludhiana

**DEPTT. OF PAED.**

**Dr. NAVEEN SIKKA**

M.B.B.S., DCH. (Child Specialists)



**FACILITIES**

1. Well Equipped Operation Theater.
2. Indoor Facility, Well-Trained Nursing Staff.
3. X-Ray, ECG, Laboratory.
4. Children & New-Born Care.
5. Immunisation
6. Stone-Lithotripsy, Ureterscopy, PNCL
7. TUR-Prostate & TUR (BT)
8. Urethral Stricture Endoscopies (O.I.U.)
9. Laproscopic Surgery
10. All Type of Major & Minor Surgeries
11. Male Sexual Disorder
12. Ambulances Services

Name..... Age/Sex Male Date 15/9/2017

Temp.....

B.P. ....

Wt. ....

It is to be certify that Sanjeev S/O Shri Sukhveer Singh Age 32Y/M is Physically as well as Mentally fit and free from any chest disease and respiratory function is normal. Blood report is attached with this certificate.

**Dr. SATISH NAUHRIA**  
M.B.B.S., D.D.S.T.D., M.D. VA PCMBI (E)

\* Not Valid for Medico Legal Purpose

**EMERGENCY 24 HOURS**

# GURU KIRPA DIAGNOSTIC LAB

( Computerized )

Machhiwara Road, KOHARA, Near Satsang Ghar

98148-36709, 95923-89098

DML Tech-  
Beant Singh Rai



PATIENT NAME : MR.SANJEEV

AGE/SEX : 32 Y/M

REF BY Dr. : RAVINDER CHHABRA

DATE : 15.09.2017

## COMPLETE BLOOD CELL ( CBC ) HAEMATOLOGY

INVESTIGATION	RESULT	NORMAL RANGE
HGB	14.1	11.0 - 16.0 G%
WBC	8.4	4.5 - 11.5 x 10 <sup>9</sup> /L
LYMPH%	20.3	20.0 - 40.0%
MID%	14.2	1.0 - 15.0%
GRAN%	65.5	50.0 - 70.0%
RBC	3.99	3.50 - 5.50 x 10 <sup>12</sup> /L
HCT	37.6	36.0 - 48.0%
MCV	94.4	80.0 - 99.0 f L
MCH	35.1	26.0 - 32.0 pg
MCHC	37.2	32.0 - 36.0 g/d L
PLT	242	150 - 450 x 10 <sup>9</sup> /L
ESR		< 20 mm/hrs

Signature

Biochemistry  
Auto Analyzer

NOT VALID FOR MEDICO LEGAL PURPOSE.

SUNDAY HALF DAY

Haematology Cell-counter  
procen ocean (Orion30) German

# GURU KIRPA DIAGNOSTIC LAB

( Computerized )

Machhiwara Road, KOHARA, Near Satsang Ghar

98148-36709, 95923-89098

DML Tech-  
Beant Singh Rai



PATIENT NAME : MR.SANJEEV

AGE/SEX : 32 Y/M

REF BY Dr. : RAVINDER CHHABRA

DATE : 15.09.2017

## BIOCHEMISTRY REPORTS

INVESTIGATION

RESULT

NORMAL RANGE

### BLOOD FOR WIDAL TEST

S. TYPHI "O"	1/160
S. TYPHI "H"	1/80
S. PARATY "AH"	1/20
S. PARATYHI "BH"	1/20

Signature

Biochemistry  
Auto Analyzer

NOT VALID FOR MEDICO LEGAL PURPOSE

SUNDAY HALF DAY

Haematology Cell-counter  
procen ocean (Orion30) German



# GURU KIRPA HOSPITAL

(A MULTI SPECIALITY HOSPITAL)

M. : 94179-17601  
M. : 99145-36901



934  
Opp. Satsang Ghar, Machhiwara Road, KOHARA.

### MANAGING DIRECTOR SKIN & V.D. SPECIALIST

**Dr. SATISH NAUHRIA**  
M.B.B.S., D.D.S.T.D., P.C.M.S.I. (Ex)  
Ex. SENIOR CONSULTANT SKIN  
& V.D. DEPTT.  
CMC HOSPITAL, BROWN ROAD, LDH.  
M. : 98140-22165  
(ਚਮੜੀ ਅਤੇ ਕੁਪਤ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ)  
drnauhria@gmail.com

### DEPT. OF ORTHOPEDIC

**Dr. H. KUMAR**  
M.B.B.S., F.A.G.E., D.N.B. (Ortho)  
Ex. Registrar M.D. Oswal Hospital  
Ludhiana

### DEPT. OF SURGERY & LAPROSCOPY


**Dr. PARAMJIT SINGH**  
M.B.B.S., M.S. DNB  
(Advance Laproscopic Surgeon)

### MEDICAL & HEART SPECIALIST

**Dr. RAVI SINGLA**  
M.B.B.S., MD (Medicine)  
Ex. Resident C.M.C. Hospital Ludhiana

### DEPTT. OF PAED.

**Dr. NAVEEN SIKKA**  
M.B.B.S., DCH. (Child Specialists)



### FACILITIES

1. Well Equipped Operation Theater.
2. Indoor Facility, Well-Trained Nursing Staff.
3. X-Ray, ECG, Laboratory.
4. Children & New-Born Care.
5. Immunisation
6. Stone-Lithotripsy, Ureterscopy, PNCL
7. TUR-Prostate & TUR (BT)
8. Urethral Stricture Endoscopis (D.I.U.)
9. Laproscopic Surgery
10. All Type of Major & Minor Surgeries
11. Male Sexual Disorder
12. Ambulances Services

Name..... Age/Sex Male Date 15/9/201

Temp.....

B.P. ....

Wt. ....

It is to be certify that Jai Ram S/O  
Shri Nathu Ram Age 36Y/M is  
Physically as well as Mentally fit  
and free from any chest disease  
and respiratory function is normal.  
Blood report is attached with this  
certificate.

DR. SATISH NAUHRIA  
MANAGING DIRECTOR

\* Not Valid for Medico Legal Purpose

EMERGENCY 24 HOURS

# GURU KIRPA DIAGNOSTIC LAB

( Computerized )

Machhiwara Road, KOHARA, Near Satsang Ghar

98148-36709, 95923-89098

DML Tech-  
Beant Singh Rai



PATIENT NAME : MR.JAI RAM

AGE/SEX : 36 Y/M

REF BY Dr. : RAVINDER CHHABRA

DATE : 15.09.2017

## COMPLETE BLOOD CELL ( CBC ) HAEMATOLOGY

INVESTIGATION	RESULT	NORMAL RANGE
HGB	13.1	11.0 - 16.0 G%
WBC	12.1	4.5 - 11.5 x 10 <sup>9</sup> /L
LYMPH%	21.1	20.0 - 40.0%
MID%	14.4	1.0 - 15.0%
GRAN%	64.5	50.0 - 70.0%
RBC	3.98	3.50 - 5.50 x 10 <sup>12</sup> /L
HCT	36.1	36.0 - 48.0%
MCV	90.5	80.0 - 99.0 f L
MCH	32.9	26.0 - 32.0 pg
MCHC	36.3	32.0 - 36.0 g/d L
PLT	329	150 - 450 x 10 <sup>9</sup> /L
ESR		< 20 mm/hrs

Signature

< 20 mm/hrs

Biochemistry  
Auto Analyzer

NOT VALID FOR MEDICO LEGAL PURPOSE.

SUNDAY HALF DAY

Haematology Cell-counter  
procen ocean (Orion30) German


# GURU KIRPA DIAGNOSTIC LAB

( Computerized )

Machhiwara Road, KOHARA, Near Satsang Ghar

98148-36709, 95923-89098

DML Tech-  
Beant Singh Rai



PATIENT NAME : MR.JAI RAM

AGE/SEX : 36 Y/M

REF BY Dr. : RAVINDER CHHABRA

DATE : 15.09.2017

## BIOCHEMISTRY REPORTS

INVESTIGATION	RESULT	NORMAL RANGE
RANDOM BLOOD SUGAR	90	70 - 140 msg/dl

Signature

Biochemistry  
Auto Analyzer

NOT VALID FOR MEDICO LEGAL PURPOSE  
SUNDAY HALF DAY

Haematology Cell-counter  
procan ocean (Orion30) German



# POLY EYE HOSPITAL

**Dr. Ashok Gupta**  
M.B.B.S., M.D. (OPHTH)  
EYE SURGEON  
Regn. No. 18923

1560, Urban Estate, Phase-II,  
Near Gurdwara, Jamalpur,  
LUDHIANA - 141 010  
Phone : 2671731

OPD/DISCHARGE SLIP

006285

Name *Dumrah*

Age & Sex *Boys*

Date *30/8/17*  
Valid upto

*MR*

*low specs*

*RE = 6/16*  
*LE = 6/16* *NS*

*Color vision normal*

*[Signature]*  
POLY EYE HOSPITAL  
1560, Urban Estate, Phase-II,  
Jamalpur, LUDHIANA.

ਮਹੀਨੇ ਦੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਗਰੀਬ ਮਰੀਜ਼ਾਂ ਲਈ ਅੱਖਾਂ ਦੇ ਆਪ੍ਰੇਸ਼ਨ ਮੁਫਤ ਕੀਤੇ ਜਾਣਗੇ,  
ਸਿਰਫ ਲੈਂਸ ਦੀ ਕੀਮਤ ਹੀ ਲਈ ਜਾਏਗੀ।  
ਸਵੀਨੇ ਕੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਕੋ ਗਰੀਬ ਮਰੀਜ਼ੋਂ ਕੇ ਲਿਏ ਆਖੌਂ ਕੇ ਆਪ੍ਰੇਸ਼ਨ ਫੀ ਕਿਏ ਜਾਯੋਂਗੇ,  
ਕੇਬਲ ਲੈਂਸ ਕੀ ਕੀਮਤ ਹੀ ਲੀ ਜਾਯੋਂਗੀ।

Timings :  
Morning: 9.00 A.M. to 1.00 P.M.  
Evening : 5.00 P.M. to 8.00 P.M.  
Sunday : Only on Appointment

Note : Slip valid For 4 Days or one visit within 4 days

NOT VALID FOR MEDICO-LEGAL PURPOSE





# POLY EYE HOSPITAL

**Dr. Ashok Gupta**  
M.B.B.S., M.D. (OPHTH)  
EYE SURGEON  
Regn. No. 18923

1560, Urban Estate, Phase-II,  
Near Gurdwara, Jamalpur,  
LUDHIANA - 141 010  
Phone : 2671731

OPD/DISCHARGE SLIP

Ce. No. 006284

Name Chandeshwari Age & Sex 50 yrs. M. Date 30/8/17  
Valid upto

hp

ME

R -0.75  
-0.50 x 180°

L. Plane

h m c specs

R 6/16 NS  
L 6/16

Colour vision normal

[Signature]  
POLY EYE HOSPITAL  
1560, Urban Estate, Phase-II,  
Jamalpur, LUDHIANA.

ਮਹੀਨੇ ਦੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਗਰੀਬ ਮਰੀਜ਼ਾਂ ਲਈ ਅੱਖਾਂ ਦੇ ਆਪ੍ਰੇਸ਼ਨ ਮੁਫਤ ਕੀਤੇ ਜਾਣਗੇ,  
ਸਿਰਫ ਲੈਂਸ ਦੀ ਕੀਮਤ ਹੀ ਲਈ ਜਾਏਗੀ।  
ਸਵੀਨੇ ਦੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਕੋ ਗਰੀਬ ਮਰੀਜ਼ਾਂ ਕੋ ਲਿਏ ਆਖੜੀ ਕੋ ਆਪ੍ਰੇਸ਼ਨ ਫੀ ਕਿਏ ਜਾਏਗੇ,  
ਕੇਵਲ ਲੈਂਸ ਕੀ ਕੀਮਤ ਹੀ ਲੀ ਜਾਏਗੀ।

Timings :  
Morning: 9.00 A.M. to 1.00 P.M.  
Evening : 5.00 P.M. to 8.00 P.M.  
Sunday : Only on Appointment

Note : Slip valid For 4 Days or one visit within 4 days

NOT VALID FOR MEDICO-LEGAL PURPOSE



# POLY EYE HOSPITAL

**Dr. Ashok Gupta**  
M.B.B.S., M.D. (OPHTH)  
EYE SURGEON  
Regn. No. 18923

1560, Urban Estate, Phase-II,  
Near Gurduwara, Jamalpur,  
LUDHIANA - 141 010  
Phone : 2671731

OPD/DISCHARGE SLIP

006381

Name Amashkumar Age & Sex 48 y/m Date 4/9/17  
Valid upto

ME

Ref.

Dr.

PE + 0.50 x 180°

Mr

Add + 1.75 Dm PE

In spec

R 6/6

NS

L 6/6

Colour vision - Normal

POLY EYE HOSPITAL  
1560, Urban Estate, Phase-II,  
Jamalpur, LUDHIANA.

ਮਹੀਨੇ ਦੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਗਰੀਬ ਮਰੀਜ਼ਾਂ ਲਈ ਅੱਖਾਂ ਦੇ ਆਪ੍ਰੇਸ਼ਨ ਮੁਫਤ ਕੀਤੇ ਜਾਣਗੇ,  
ਸਿਰਫ ਲੈਂਸ ਦੀ ਕੀਮਤ ਹੀ ਲਈ ਜਾਏਗੀ।  
ਸਵੀਨੇ ਕੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਕੋ ਗਰੀਬ ਮਰੀਜ਼ਾਂ ਕੇ ਲਿਏ ਆਖੌਂ ਕੇ ਆਪ੍ਰੇਸ਼ਨ ਫੀ ਕੀਏ ਜਾਯੋਗੇ,  
ਕੇਂਕਲ ਲੈਂਸ ਕੀ ਕੀਮਤ ਹੀ ਲੀ ਜਾਯੋਗੀ।

Timings :  
Morning: 9.00 A.M. to 1.00 P.M.  
Evening : 5.00 P.M. to 8.00 P.M.  
Sunday : Only on Appointment

Note : Slip valid For 4 Days or one visit within 4 days

NOT VALID FOR MEDICO-LEGAL PURPOSE



# POLY EYE HOSPITAL

**Dr. Ashok Gupta**  
M.B.B.S., M.D. (OPHTH)  
EYE SURGEON  
Regn. No. 18923

1560, Urban Estate, Phase-II,  
Near Gurdwara, Jamalpur,  
LUDHIANA - 141 010  
Phone : 2671731

OPD/DISCHARGE SLIP

00-6378

Name *Shiv Raj*

Age & Sex *30y M*

Date *4.9.17*  
Valid upto

*MR*

*ly*  
*R +0.50 x 180°*  
*L +0.50 x 180°*

*R is spec*

*R = 6/16*

*L = 6/16 105*

*Colour vision normal*

POLY EYE HOSPITAL  
1560, Urban Estate, Phase-II,  
Jamalpur, LUDHIANA.

ਮਹੀਨੇ ਦੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਗਰੀਬ ਮਰੀਜ਼ਾਂ ਲਈ ਅੱਖਾਂ ਦੇ ਆਪ੍ਰੇਸ਼ਨ ਮੁਫਤ ਕੀਤੇ ਜਾਣਗੇ,  
ਸਿਰਫ ਲੈਂਸ ਦੀ ਕੀਮਤ ਹੀ ਲਈ ਜਾਏਗੀ।  
ਸਵੀਨੇ ਕੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਕੋ ਗਰੀਬ ਮਰੀਜ਼ਾਂ ਕੇ ਲਿਏ ਆਖੀਂ ਕੇ ਆਪ੍ਰੇਸ਼ਨ ਫੀ ਕਿਏ ਜਾਯੋਗੇ,  
ਕੇਵਲ ਲੈਂਸ ਕੀ ਕੀਮਤ ਹੀ ਲੀ ਜਾਏਗੀ।

Timings :  
Morning: 9.00 A.M. to 1.00 P.M.  
Evening : 5.00 P.M. to 8.00 P.M.  
Sunday : Only on Appointment

Note : Slip valid For 4 Days or one visit within 4 days

NOT VALID FOR MEDICO-LEGAL PURPOSE



# POLY EYE HOSPITAL

**Dr. Ashok Gupta**  
M.B.B.S., M.D. (OPHTH)  
EYE SURGEON  
Regn. No. 18923

1560, Urban Estate, Phase-II,  
Near Gurdwara, Jamalpur,  
LUDHIANA - 141 010  
Phone : 2671731

## OPD/DISCHARGE SLIP

006376

Name Sanjay Kumar Age & Sex 45 years Date Valid upto 4/9/17

Ref

MR

Ref # 1-00 DSM

W.C. spec

R 6/16 NS  
L 6/6

Colore vision normal

POLY EYE HOSPITAL  
1560, Urban Estate, Phase-II,  
Jamalpur, LUDHIANA

ਮਹੀਨੇ ਦੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਗਰੀਬ ਮਰੀਜ਼ਾਂ ਲਈ ਅੱਖਾਂ ਦੇ ਆਪ੍ਰੇਸ਼ਨ ਮੁਫਤ ਕੀਤੇ ਜਾਣਗੇ,  
ਸਿਰਫ ਲੈਂਸ ਦੀ ਕੀਮਤ ਹੀ ਲਈ ਜਾਏਗੀ।  
ਸਵੀਨੇ ਕੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਕੋ ਗਰੀਬ ਮਰੀਜ਼ਾਂ ਕੇ ਲਿਏ ਆਖੜੀਂ ਕੇ ਆਪ੍ਰੇਸ਼ਨ ਫੀ ਕ੍ਰਿਏ ਜਾਯੋਗੇ,  
ਕੇਵਲ ਲੈਂਸ ਕੀ ਕੀਮਤ ਹੀ ਲੀ ਜਾਯੋਗੀ।

Timings :  
Morning: 9.00 A.M. to 1.00 P.M.  
Evening : 5.00 P.M. to 8.00 P.M.  
Sunday : Only on Appointment

Note : Slip valid For 4 Days or one visit within 4 days

NOT VALID FOR MEDICO-LEGAL PURPOSE



# POLY EYE HOSPITAL

**Dr. Ashok Gupta**  
M.B.B.S., M.D. (OPHTH)  
EYE SURGEON  
Regn. No. 18923

1560, Urban Estate, Phase-II,  
Near Gurdwara, Jamalpur,  
LUDHIANA - 141 010  
Phone : 2671731

### OPD/DISCHARGE SLIP

00.6375

Name Misalal Age & Sex 45y<sup>m</sup> Date Valid upto 4/9/17

by [Signature]  
NY

ME

1200 + 1.7500m

Vm c pieces

R =  $\frac{6}{16}$  NS  
L =  $\frac{6}{16}$

Color vision normal

[Signature]  
POLY EYE HOSPITAL  
1560, Urban Estate, Phase II,  
Jamalpur, LUDHIANA

ਮਹੀਨੇ ਦੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਗਰੀਬ ਮਰੀਜ਼ਾਂ ਲਈ ਅੱਖਾਂ ਦੇ ਆਪ੍ਰੇਸ਼ਨ ਮੁਫਤ ਕੀਤੇ ਜਾਣਗੇ,  
ਸਿਰਫ ਲੈਂਸ ਦੀ ਕੀਮਤ ਹੀ ਲਈ ਜਾਏਗੀ।  
ਸਵੀਨੇ ਦੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਕੋ ਗਰੀਬ ਮਰੀਜ਼ਾਂ ਕੇ ਲਿਏ ਆਖੀਂ ਕੇ ਆਪ੍ਰੇਸ਼ਨ ਫੀ ਕ੍ਰਿਏ ਜਾਏਂਗੇ,  
ਕੇਵਲ ਲੈਂਸ ਕੀ ਕੀਮਤ ਹੀ ਲੀ ਜਾਏਗੀ।

Timings :  
Morning: 9.00 A.M. to 1.00 P.M.  
Evening : 5.00 P.M. to 8.00 P.M.  
Sunday : Only on Appointment

Note : Slip valid For 4 Days or one visit within 4 days

NOT VALID FOR MEDICO-LEGAL PURPOSE



# POLY EYE HOSPITAL

**Dr. Ashok Gupta**  
M.B.B.S., M.D. (OPHTH)  
EYE SURGEON  
Regn. No. 18923

1560, Urban Estate, Phase-II,  
Near Gurdwara, Jamalpur,  
LUDHIANA - 141 010  
Phone : 2671731

## OPD/DISCHARGE SLIP

006377

Name

Basanti

Age & Sex

36 y M.

Date Valid upto

4/9/17

MR


1/2 cow spec

R 6/6

L 6/6

NS

Colour vision - Normal

  
POLY EYE HOSPITAL  
1560, Urban Estate, Phase-II,  
Jamalpur, LUDHIANA.

ਮਹੀਨੇ ਦੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਗਰੀਬ ਮਰੀਜ਼ਾਂ ਲਈ ਅੱਖਾਂ ਦੇ ਆਪ੍ਰੇਸ਼ਨ ਮੁਫਤ ਕੀਤੇ ਜਾਣਗੇ,  
ਸਿਰਫ ਲੈਂਸ ਦੀ ਕੀਮਤ ਹੀ ਲਈ ਜਾਏਗੀ।  
ਸਵੀਨੇ ਦੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਕੋ ਗਰੀਬ ਮਰੀਜ਼ਾਂ ਕੇ ਲਿਏ ਆਖੌਂ ਕੇ ਆਪ੍ਰੇਸ਼ਨ ਫੀ ਕਿਏ ਜਾਏਗੇ,  
ਕੇਵਲ ਲੈਂਸ ਕੀ ਕੀਮਤ ਹੀ ਲੀ ਜਾਏਗੀ।

Timings :  
Morning: 9.00 A.M. to 1.00 P.M.  
Evening : 5.00 P.M. to 8.00 P.M.  
Sunday : Only on Appointment

Note : Slip valid For 4 Days or one visit within 4 days

NOT VALID FOR MEDICO-LEGAL PURPOSE



# POLY EYE HOSPITAL

**Dr. Ashok Gupta**  
M.B.B.S., M.D. (OPHTH)  
EYE SURGEON  
Regn. No. 18923

1560, Urban Estate, Phase-II,  
Near Gurdwara, Jamalpur,  
LUDHIANA - 141 010  
Phone : 2671731

OPD/DISCHARGE SLIP

00.6283

Name *Saraj K. Kh.* Age & Sex *32y M.* Date *30/8/17*  
Valid upto

*Ref.*  
*R Plano*

*L - 1.00 x 105°*

*in c specs*

*R = 6 105*

*L = 6 16*

*Colour vision normal*

*Ashok Gupta*  
POLY EYE HOSPITAL  
1560, Urban Estate, Phase-II,  
Jamalpur, LUDHIANA.


ਮਹੀਨੇ ਦੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਗਰੀਬ ਮਰੀਜ਼ਾਂ ਲਈ ਅੱਖਾਂ ਦੇ ਆਪ੍ਰੇਸ਼ਨ ਮੁਫਤ ਕੀਤੇ ਜਾਣਗੇ,  
ਸਿਰਫ ਲੈਂਸ ਦੀ ਕੀਮਤ ਹੀ ਲਈ ਜਾਏਗੀ।

ਸਫੀਨੇ ਦੇ ਹਰ ਤੀਸਰੇ ਵੀਰਵਾਰ ਕੋ ਗਰੀਬ ਮਰੀਜ਼ਾਂ ਕੇ ਲਿਏ ਆਖੌਂ ਕੇ ਆਪ੍ਰੇਸ਼ਨ ਫੀ ਕਠਿਏ ਜਾਯੋਂਗੇ,  
ਕੇਵਲ ਲੈਂਸ ਕੀ ਕੀਮਤ ਹੀ ਲੀ ਜਾਯੋਂਗੀ।

Timings :  
Morning: 9.00 A.M. to 1.00 P.M.  
Evening : 5.00 P.M. to 8.00 P.M.  
Sunday : Only on Appointment

Note : Slip valid For 4 Days or one visit within 4 days

NOT VALID FOR MEDICO-LEGAL PURPOSE



# BALI TEST HOUSE PVT. LTD.

INDUSTRIAL TESTING & ANALYTICAL TEST HOUSE

Street No 12, Jeevan Nagar, Focal Point, Phase V, Ludhiana, (Punjab) -141010  
Ph: +91 181-2670036, 2670037, 2670038, 8540109 E: info@bth.co.in

FSSAI EMPANELLED & NABL ACCREDITED

Report No.: BTHPL-0424-C

Date: 14/09/17

Job No.: BTHPL-0424

Customer's Name & Address M/s: **Allied Recycling Ltd.,**  
VPO Budhewal, Chandigarh Road,  
Ludhiana.

Type of sample as described by the customer: **Drinking Water**

Sample Quantity received: **5 ltr. Approx.**

Date of Sample received in lab: **09/09/17**

Date of Start of analysis: **09/09/17**

Date of end of analysis: **14/09/17**

Yours Ref Code: Nil

Sample Submitted by the customer, not drawn by BTHPL

## Analysis Report

### A) Physical General & Toxic Analysis:

S. No.	Parameter(s)	Units(s)	Result(s)	Std. Value(s) (as Per IS: 10500-2012)		Protocol(s)
				Acceptable Limit	Permissible Limit	
1	Color	Hazen Units	<1	5 max.	15 max.	IS: 3025 Part 4
2	Odor	----	Agreeable	Agreeable	Agreeable	IS: 3025 Part 5
3	pH	----	6.96	6.5 - 8.5	No Relaxation	IS: 3025 Part 11
4	Taste	----	Agreeable	Agreeable	Agreeable	IS: 3025 Part 7 & 8
5	Turbidity	NTU	<0.1	1 max.	5 max.	IS: 3025 Part 10
6	Total Dissolved Solids	mg/l	24.0	500 max.	2000 max.	IS: 3025 Part 16
7	Aluminum (as Al)	mg/l	<0.01	0.03 max.	0.2 max.	IS: 3025 Part 55
8	Ammonia (as total ammonia-N)	mg/l	<0.1	0.5 max.	No Relaxation	IS: 3025 Part 34
9	Anionic detergents (as MBAS)	mg/l	<0.1	0.2 max.	1.0 max.	IS: 13428 (Annex.-K)
10	Barium (as Ba)	mg/l	<0.1	0.7 max.	No Relaxation	IS: 13428 (Annex.-F)
11	Boron (as B)	mg/l	<0.1	0.5 max.	1.0 max.	IS: 3025 Part 57
12	Calcium (as Ca)	mg/l	2.0	75 max.	200 max.	IS: 3025 Part 40
13	Chloramines (as Cl <sub>2</sub> )	mg/l	<1.0	4.0 max.	No Relaxation	IS: 3025 Part 26
14	Chloride (as Cl)	mg/l	1.4	250 max.	1000 max.	IS: 3025 Part 32
15	Copper (as Cu)	mg/l	<0.01	0.05 max.	1.5 max.	IS: 3025 Part 42
16	Fluoride (as F)	mg/l	< 0.1	1 max.	1.5 max.	IS: 3025 Part 60
17	Iron (as Fe)	mg/l	<0.1	0.3 max.	No Relaxation	IS: 3025 Part 53

Section In-Charge




Authorised Signatory

Note:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The report listed refers only to the tested sample(s) & applicable parameter(s). Endorsement of product is neither inferred nor implied. Total liability of our test house is limited to the invoiced amount of sample(s).
3. Sample will be destroyed after analysis.



18	Magnesium (as Mg)	mg/l	0.8	30 max.	100 max.	IS: 3025 Part 46
19	Manganese (as Mn)	mg/l	<0.1	0.1 max.	0.3 max.	IS: 3025 Part 59
20	Mineral oil	mg/l	<0.1	0.5 max.	No Relaxation	IS: 3028 Part 39
21	Nitrate (as NO <sub>3</sub> )	mg/l	< 0.5	45 max.	No Relaxation	IS: 3025 Part 34
22	Phenolic compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	<0.0001	0.001 max.	0.002 max.	IS: 3025 Part 43
23	Selenium (as Se)	mg/l	<0.001	0.01 max.	No Relaxation	IS: 3025 Part 56
24	Silver (as Ag)	mg/l	<0.01	0.1 max.	No Relaxation	IS: 13428 (Annex.-J)
25	Sulphate (as SO <sub>4</sub> )	mg/l	3.6	200 max.	400 max.	IS: 3025 Part 24
26	Sulphide (as H <sub>2</sub> S)	mg/l	<0.01	0.05 max.	No Relaxation	IS: 3025 Part 29
27	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	15.0	200 max.	600 max.	IS: 3025 Part 23
28	Total Hardness (as CaCO <sub>3</sub> )	mg/l	7.0	200 max.	600 max.	IS: 3025 Part 21
29	Zinc (as Zn)	mg/l	<2	5 max.	15 max.	IS: 3025 Part 49
30	Cadmium (as Cd)	mg/l	<0.001	0.003 max.	No Relaxation	IS: 3025 Part 41
31	Cyanide (as CN)	mg/l	<0.01	0.05 max.	No Relaxation	IS: 3025 Part 27
32	Lead (as Pb)	mg/l	<0.001	0.01 max.	No Relaxation	IS: 3025 Part 47
33	Mercury (as Hg)	mg/l	<0.0001	0.001 max.	No Relaxation	IS: 3025 Part 48
34	Molybdenum (as Mo)	mg/l	<0.01	0.07 max.	No Relaxation	IS: 3025 Part 2
35	Nickel	mg/l	<0.01	0.02 max.	No Relaxation	IS: 3025 Part 54



Section In-Charge




Note:


1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The report listed refers only to the tested sample(s) & applicable parameter(s). Endorsement of product is neither inferred nor implied. Total liability of our test house is limited to the invoiced amount of sample(s).
3. Sample will be destroyed after analysis.

B) Biological Analysis:

S. No.	Parameter(s)	Units(s)	Result(s)	Limit(s)	Protocol(s)
1	E. Coli	per 100 ml.	Absent	Absent	IS: 1622
2	Total coliform bacteria	per 100 ml.	Absent	Absent	IS: 1622

Remarks: The above submitted sample conforms to IS: 10500-2012 w.r.t. above tests/results.

  
Section In-Charge

  
Authorised Signatory

Note:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The report listed refers only to the tested sample(s) & applicable parameter(s). Endorsement of product is neither inferred nor implied. Total liability of our test house is limited to the invoiced amount of sample(s).
3. Sample will be destroyed after analysis.

PROVISIONAL CERTIFICATE



St. John Ambulance Association

DISTRICT BRANCH, RED CROSS BHAWAN, THE MALL, LUDHIANA.  
PH.: 0161-2444923

Certificate No. 1046

This is to certify that Sumedh Puri  
Son/Daughter of Sh. Narain Lal Puri  
has been awarded this certificate.



EXAMINATION	SENIOR	CENTRE	<u>Ludhiana</u>
SUBJECT	FIRST AID	DATE	<u>18.9.17</u>

This certificate will be incomplete unless the holder has affix his/her signature below.

Signature of thumb impression of Holder



Honorary Secretary  
Ludhiana

**PROVISIONAL CERTIFICATE**



# St. John Ambulance Association

DISTRICT BRANCH, RED CROSS BHAWAN, THE MALL, LUDHIANA.  
PH.: 0161-2444923

Certificate No. 1045

This is to certify that Peeyush Rathi  
Son/Daughter of Sh. Varinder Singh Rathi  
has been awarded this certificate.



EXAMINATION	SENIOR	CENTRE	Ludhiana
SUBJECT	FIRST AID	DATE	18.9.17

This certificate will be incomplete unless the holder has affix his/her signature below.

Signature of thumb impression of Holder

PROVISIONAL CERTIFICATE



# St. John Ambulance Association

DISTRICT BRANCH, RED CROSS BHAWAN, THE MALL, LUDHIANA.  
PH.: 0161-2444923

Certificate No. 1044

This is to certify that Sabha Singh  
Son/Daughter of Sh. Puran Singh  
has been awarded this certificate.



EXAMINATION	SENIOR	CENTRE	<u>Ludhiana.</u>
SUBJECT	FIRST AID	DATE	<u>18.9.17</u>

This certificate will be incomplete unless the holder has affix his/her signature below.

Signature of thumb impression of Holder



Authorized Signatory  
Honorary Secretary  
Indian Red Cross Society,  
Ludhiana

**PROVISIONAL CERTIFICATE**



# St. John Ambulance Association

DISTRICT BRANCH, RED CROSS BHAWAN, THE MALL, LUDHIANA.  
PH.: 0161-2444923

Certificate No. 1043

This is to certify that Shingara Singh  
Son/Daughter of Sh. Aurbax Singh  
has been awarded this certificate.



EXAMINATION	SENIOR	CENTRE	<u>Ludhiana</u>
SUBJECT	FIRST AID	DATE	<u>18.9.17</u>

This certificate will be incomplete unless the holder has affix his/her signature below.

Signature of thumb impression of Holder



Honorary Secretary  
Indian Red Cross Soc.  
Ludhiana













**ALLIED RECYCLING LTD.**  
Growing Stronger Together..

## Environment

[Home](#) > [Pages](#) > [Environment](#)

### "Six Monthly Compliance Status Report of the MOEF Environmental Clearance"

-  Dated 22.06.2015 for the period from 01.01.2020 to 30.06.2020
-  Dated 22.06.2015 for the period from 01.07.2019 to 31.12.2019
-  Dated 22.06.2015 for the period from 01.01.2019 to 30.06.2019
-  Dated 22.06.2015 for the period from 01.07.2018 to 31.12.2018
-  Dated 22.06.2015 for the period from 01.01.2018 to 30.06.2018
-  Dated 22.06.2015 for the period from 01.07.2017 to 31.12.2017
-  Dated 22.06.2015 for the period from 01.01.2017 to 30.06.2017
-  Dated 22.06.2015 for the period from 01.07.2016 to 31.12.2016
-  Dated 22.06.2015 for the period from 01.01.2016 to 30.06.2016
-  Dated 22.06.2015 for the period from 01.07.2015 to 31.12.2015

॥ राम ॥  
*Allied Recycling Ltd.*

Manufacturers of :  
 ALLOY & NON ALLOY STEEL BILLETS,  
 WIRE ROD & ROUND  
 CIN : U27100RB2003PLC026583

Govt. of India, MOEF&CC,  
 Northern Regional Office,  
 Bays No. 24-25,  
 Sector-31, Chandigarh 160030.



**Subject:** Half yearly Compliance Report in respect of "Allied Recycling Limited"  
 Village Budhewal, Tehsil Kum Kalan, Ludhiana for the period June,  
 2020.

Dear Sir,

This is in reference to the requirement stated in Environmental Clearance granted by the Expert Appraisal Committee-I, Ministry of Environment Forests & Climate Change, Government of India New Delhi vide their letter No. J-11011/40/2013-IA-II(I) dated 22/06/2015.

As per general condition no. xi & xii of the Environment Clearance for our aforesaid project, we are herewith submitting the half yearly report for the period ending June, 2020.

**Contact Details:**

Mr. Vijay Abrol  
 Mobile No.- 09914200019  
 Email: alliedrecyclinglimited@gmail.com

This is for your Kind information and record.

Thanking you.

Yours truly,  
 For Allied Recycling Ltd.

(Authorized Signatory)  
 30/05/2020



Regd. Office & Works : V.P.O. Budhewal, Chandigarh Road, Distt. Ludhiana (Punjab)  
 Tel. : 0161-2848535, 2843119, Website : www.alliedrecycling.in Email : alliedrecyclinglimited@gmail.com

प्राप्त किया/Received  
 पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय  
 of Environment, Forests & Climate Change  
 क्षेत्रीय कार्यालय/Northern Regional Office  
 चण्डीगढ़/Chandigarh

21/07/20